

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**SX1500 4U Base Systems**

001322	Rave Systems Rackmount 4U RM4U-SX1500 includes SX1500 Motherboard with a 1.5GHz UltraSPARC IIIi CPU with 1MB L2 Cahce, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, Two USB 1.1Ports,Two Serial Ports, One parallel port DB25F, One 66MHz and four 33MHz PCI Slots, Four dual-bank memory slots supporting up to 8GB of RAM, integrated into a 4U chassis containing a 460 watt auto ranging powersupply, One 3.5" and Three 5.25" Drive Bays.	\$2,822.93	2 Years
001338	Rave Systems Rackmount 4U RM4ASA-SX1500 includes SX1500 Motherboard with One 1.5GHz UltraSPARCIIIi CPU Modules with 1MB l2 cache, One 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, SCSI Interface, Two USB 1.1 Ports, Two Serial Ports, One Parallel Port DB25F, Three 33MHz, 32-bit full length PCI Slots, Four dual-bank memory slots supporting up to 8GB of RAM, integrated into a 2U rackmountable chassis containing a single 400 watt Auto Ranging Power Supply, Four 80mm Fans, One 5.25 " Drive Bay for CD-ROM, and Four Front Accessible 3.5" Bays for Removable Disk Drives, and one 3.5" Bay.	\$2,950.49	2 Years

**SX1500 2U Base Systems**

001321	Rave Systems Rackmount 2U RM2DIA-SX1500 includes SX1500 Motherboard with a 1.5GHz UltraSPARC IIIi CPU with 1MB L2 Cahce, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, Two USB 1.1Ports, Two Serial Ports, One parallel port DB25F, Three 33MHz, 32 bit full lenght PCI Slots, Four dual-bank memory slots supporting up to 8GB of RAM , integrated into a 2U rackmountable chassis containing a single 400-Watt Auto-Ranging Power Supply, Four 80mm Fans, One 5.25" Drive Bay for CD-Rom, and Four Front Accessible 3.5" Drive Bays for Removable Disks and one 3.5 Bay.	\$2,617.09	2 Years
001337	Rave Systems Rackmount 2U RM2DSA-SX1500 includes SX1500 Motherboard with a 1.5GHz UltraSPARC IIIi CPU with 1MB L2 Cahce, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, Two USB 1.1Ports, Two Serial Ports, One parallel port DB25F, Three 33MHz, 32 bit full lenght PCI Slots, Four dual-bank memory slots supporting up to 8GB of RAM , integrated into a 2U rackmountable chassis containing a single 400-Watt Auto-Ranging Power Supply, Four 80mm Fans, One 5.25" Drive Bay for CD-Rom, and Four Front Accessible 3.5" Drive Bays for Removable Disks and one 3.5 Bay.	\$2,902.97	2 Years
001728	Rave Systems Rackmount 2U RM2DIR-SX1500 includes SX1500 Motherboard with a 1.06 UltraSPARC IIIi CPU with 1MB L2 Cahce, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, Two USB 1.1Ports, Two Serial Ports, One parallel port DB25F, Three 33MHz, 32 bit full lenght PCI Slots, Four dual-bank memory slots supporting up to 8GB of RAM , integrated into a 2U rackmountable chassis containing a Dual Hot-Swappable Redundant Power Supply, Four 80mm Fans, One 5.25" Drive Bay for CD-Rom, and Four Front Accessible 3.5" Drive Bays for Removable Disks and one 3.5 Bay.	\$3,177.19	2 Years
001729	Rave Systems Rackmount 2U RM2DSR-SX1500 includes SX1500 Motherboard with a 1.06 UltraSPARC IIIi CPU with 1MB L2 Cache, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, SCSI Interface, Two USB 1.1Ports, Two Serial Ports, One parallel port DB25F, Three 33MHz, 32 bit full lenght PCI Slots, Four dual-bank memory slots supporting up to 8GB of RAM , integrated into a 2U rackmountable chassis containing a single 400-Watt Auto-Ranging Power Supply, Four 80mm Fans, One 5.25" Drive Bay for CD-Rom, and Four Front Accessible 3.5" Drive Bays for Removable Disks and one 3.5 Bay.	\$3,274.46	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**SX1500 1U Base Systems**

001320	Rave Systems Rackmount 1U RM1DIA-SX1500 to include SX1500 Motherboard with a 1.5 UltraSPARC IIIi CPU with 1MB L2 Cache, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, Two USB 1.1 ports, Two serial ports, One parallel port DB25F, One 33 MHz PCI slot, Four dual-bank memory slots supporting up to 8GB of RAM, integrated into a 1U rackmountable chassis containing a single 400-Watt Auto-Ranging Power Supply, 4 Fans, one 5.25" Drive Bay for DVD, CD-Rom or Tape, and two front accessible 3.5" Drive Bays for Removable Disks	\$2,707.47	2 Years
001334	Rave Systems Rackmount 1U RM1DSA-SX1500 to include SX1500 Motherboard with a 1.5GHz UltraSPARC IIIi CPU with 1MB L2 Cache, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, SCSI Interface, Two USB 1.1 ports, Two serial ports, One parallel port DB25F, One 33 MHz PCI slot, Four dual-bank memory slots supporting up to 8GB of RAM, integrated into a 1U rackmountable chassis containing a single 400-Watt Auto-Ranging Power Supply, 4 Fans, one 5.25" Drive Bay for DVD, CD-Rom or Tape, and two front accessible 3.5" Drive Bays for Removable Disks	\$2,732.86	2 Years

**SX1500 Tower Base Systems**

001323	Rave Systems Tower RT-SX1500 includes SX1500 Motherboard with a 1.5GHz UltraSPARC IIIi CPU with 1MB L2 Cache, 10/100/1000Mb Ethernet, Two ATA/100 Interfaces, Two USB 1.1Ports, Two Serial Ports, One Parallel Port DB25F, One 66MHz and four 33MHz PCI Slots, Four dual-bank memory slots supporting up to 8GB of RAM, Integrated into a Tower Chassis containing a 460-Watt Auto Ranging Power Supply, Three 3.5" bays for Disk, four 5.25" Exposed Drive Bays and one additional 3.5" Bay.	\$2,405.20	2 Years
--------	---	------------	---------

**SX1500 Options  
Memory Options**

000857	256MB PC2700; ECC Registered	\$42.03	2 Years
000461	512MB PC2700; ECC Registered	\$72.92	2 Years
001692	1GB PC2700; ECC Registered	\$123.60	2 Years
000858	2GB PC2700; ECC Registered	\$354.72	2 Years

**Controller Options**

000063	Controller; 64-bit PCI-X Fibre Channel DAS/SAN, Copper, SPARC	\$1,127.96	2 Years
000062	Controller; 64-bit PCI-X Fibre Channel DAS/SAN. SPARC	\$952.56	2 Years
001674	Controller; SPARC, Dual 10/100/1000Mbps Ethernet; Dual 80Mbps Wide Ultra2 SE/LVD SCSI	\$924.68	2 Years
000075	Controller; Single-Ended Ultra320 SCSI, Dual-Channel, SPARC	\$447.25	2 Years
000071	Controller; Single-Ended Ultra SCSI, Dual-Channel, SPARC	\$348.49	2 Years
000059	Controller; Differential Ultra SCSI, Dual-Channel, SPARC	\$600.58	2 Years
000072	Controller; Single-Ended Ultra160 SCSI, Dual-Channel, SPARC	\$408.90	2 Years

**Rackmount Only**

000017	Sound Adapter; SPARC	\$321.78	2 Years
--------	----------------------	----------	---------

**Tower Only**

000016	Sound Adapter; SPARC	\$321.78	2 Years
--------	----------------------	----------	---------

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**Disk Options  
All SX1500**

000118	40GB IDE Disk Drive; 7200rpm	\$59.24	2 Years
000125	80GB IDE Disk Drive; 7200rpm	\$61.71	2 Years
000413	120GB IDE Disk Drive; 7200rpm	\$91.03	2 Years
000553	250GB IDE Disk Drive; 7200rpm	\$128.36	2 Years
000556	200GB IDE Disk Drive; 7200rpm	\$144.41	2 Years
001526	400GB IDE Disk Drive; 7200rpm	\$394.96	2 Years
000418	Drive Canister; SCSI, Beige	\$87.89	2 Years

**SCSI Rackmount Only**

000113	18.2GB SCSI Disk Drive, 15K, 80-pin	\$209.82	2 Years
000116	36GB SCSI Disk Drive; 10K, 80-pin	\$191.31	2 Years
000414	36GB SCSI Disk Drive; 15K, 80-pin	\$336.95	2 Years
000123	73GB SCSI Disk Drive; 10K, 80-pin	\$320.91	2 Years
001796	73GB SCSI Disk Drive; 15K, 80-pin	\$647.98	2 Years
000109	146GB SCSI Disk Drive, 10K, 80-pin	\$592.44	2 Years
001583	300GB SCSI Disk Drive; 10K, 80-pin	\$908.41	2 Years
000598	Drive Canister, IDE, Black	\$85.90	2 Years
000419	Drive Canister; SCSI, Black	\$87.89	2 Years

**Removable Media  
Optical Options  
Rackmount Only**

000328	CD-R; 52X, Black, IDE	\$22.38	2 Years
001330	CD-Rom; 52x32x52, Black, IDE	\$40.46	2 Years
001606	DVD-Rom Slim; 8x24x24x24, Black, IDE	\$90.65	2 Years
002056	DVD-Rom Slim; 24x124x10x8x8, Black, IDE	\$134.07	2 Years
002120	DVD-Rom, 16x8x4x16x6x4, Black, IDE	\$86.50	2 Years
001822	DVD-ROM; 16X, Black, IDE	\$33.48	2 Years
001339	DVD-Rom; 52x32x52x16, Black, IDE	\$68.55	2 Years
001517	Disk Drive Adapter; 5.25" to 3.5"	\$2.18	2 Years
000203	Slimline Mounting Bracket	\$21.77	2 Years

**Tower Only**

000326	CD-R; 52X, Beige, IDE	\$25.39	2 Years
000422	CD-R; 52x24x52x, Beige, IDE	\$92.08	2 Years
000346	DVD-ROM; 16X, Beige, IDE	\$38.99	2 Years
001340	DVD-ROM; 52x24x52x16, Beige, IDE	\$100.97	2 Years

**Tape Options  
All SX1500**

002238	Tape Drive; LTO2, Black; 200-400	\$1,808.62	2 Years
--------	----------------------------------	------------	---------

**Rackmount Only**

000364	Tape Drive; 4MM, DDS-3, Beige, 12-24	\$450.29	2 Years
000366	Tape Drive; 4MM, DDS-4, Beige, 20-40	\$435.62	2 Years
000367	Tape Drive; VXA-1, Black, 33-66	\$650.52	2 Years
000638	3.5" Black Tape Bezel	\$11.83	2 Years
001018	3.5" Black Tape Bezel	\$6.69	2 Years
001336	Side Brackets; 3.5"/5.25" Tape Drive, Black	\$22.52	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**4U and Tower**

001627	Tape Drive; VXA-2, Black or Beige; 80-160	\$1,393.98	2 Years
001858	Tape Drive; DDS5, Black; 36-72	\$887.68	2 Years

**Tower Only**

000368	Tape Drive; VXA-1, White, 33-66	\$650.52	2 Years
--------	---------------------------------	----------	---------

**Floppy Option**

001425	Floppy, Black, USB	\$53.07	2 Years
--------	--------------------	---------	---------

**Graphic Adapters  
All SX1500**

001349	Graphics Adapter; XVR-100, 64MB	\$291.28	2 Years
002134	Graphics Adapter; XVR-600	\$1,179.95	2 Years

**4U Only**

001422	Graphics Adapter; XVR-1200	\$2,957.28	2 Years
--------	----------------------------	------------	---------

**Operating Systems**

001328	Operating System; Solaris9	\$0.00	2 Years
000361	Solaris 8 Installed NO MEDIA	\$0.00	2 Years
001613	Operating System; Solaris8 (Media Only)	\$93.80	2 Years
001410	Operating System; Solaris9 (Media Only)	\$93.80	2 Years
001821	Operating System; Solaris10	\$0.00	2 Years
001823	Operating System; Solaris10 (Media Only)	\$49.32	2 Years

**Network Adapters / Modems**

000285	Network Adapter; SPARC. 155MMF, Single-Channel	\$919.03	2 Years
001645	Network Adapter; SPARC, 10/1000, RJ45	\$281.41	2 Years
001303	Network Adapter; SPARC, 10/1000, 4-channel, RJ45	\$848.18	2 Years
000281	Mouse; PS/2, Trackball, Wireless	\$120.86	2 Years
000068	Network Adapter; 4-port High Speed Synchronous Serial I/O, SPARC	\$871.25	2 Years

**Monitor Options**

000235	Monitor; 17" Beige	\$231.58	2 Years
000233	Monitor/Keyboard; 15", 1U, Black	\$1,116.76	2 Years
000238	Monitor; 19" Beige	\$292.27	2 Years
000883	Monitor; 21" Beige	\$522.34	2 Years

**Miscellaneous (Keyboard, Mice, Etc.)**

000167	Keyboard/Mouse Kit; USB, Beige, Type6, SUN	\$50.78	2 Years
000627	Keyboard/Mouse Kit; USB, Beige, Type6 PC Style, SUN	\$44.43	2 Years

**4U and 2U Rackmount**

000204	Slide Rails; 24"	\$32.64	2 Years
--------	------------------	---------	---------

**1U Rackmount Only**

000205	Slide Rails; 24" for 1U	\$38.09	2 Years
--------	-------------------------	---------	---------

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**SX2500 4U Base Systems**

001421	Rave Systems Rackmount 4U RM4ASA-SX2500 (Please choose Motherboard/CPU Module option) with 1MB I2 cache, One 10/100/1000Mb Ethernet, Two Dual Channel Ultra160/320 SCSI Ports, Two ATA/100 Interfaces, Four USB 1.1 Ports, One Serial Port DB9M Connector, One Parallel Port DB25F, Six 64bit PCI slots: Three 66MHz and Three 33MHz, integrated into a 4U rackmountable chassis containing a single 600 watt Auto Ranging Power Supply, Five 80mm Fans, Five 5.25 " Bays and Five 3.5" Bays for Removable Disk Drives. (See options for additional CPU pricing)	\$894.20	2 Years
--------	--	----------	---------

**SX2500 2U Base Systems**

001386	Rave Systems Rackmount 2U RM2DSA-SX2500 (Please choose Motherboard/CPU Module option) with 1MB I2 cache, One 10/100/1000Mb Ethernet, Two Dual Channel Ultra160/320 SCSI Ports, Two ATA/100 Interfaces, Four USB 1.1 Ports, One Serial Port DB9M Connector, One Parallel Port DB25F, Three 64/32 bit PCI slots, integrated into a 2U rackmountable chassis containing a single 465 watt Auto Ranging Power Supply, Four 80mm Fans, One 5.25 " Bay and Four 3.5" Bays for Removable Disk Drives. (See options for additional CPU pricing)	\$733.33	2 Years
--------	---	----------	---------

**SX2500 Tower Base Systems**

001385	Rave Systems Tower RT-SX2500 (Please choose Motherboard/CPU Module option) with 1MB I2 cache, One 10/100/1000Mb Ethernet, Two Dual Channel Ultra160/320 SCSI Ports, Two ATA/100 Interfaces, Four USB 1.1 Ports, One Serial Port DB9M Connector, One Parallel Port DB25F, Six 64bit PCI slots: Three 66MHz and Three 33MHz, integrated into a Tower Chassis containing a 465 watt Auto Ranging Power Supply, Four 5.25" Bays and Three 3.5" Bays. (See options for additional CPU pricing)	\$550.75	2 Years
--------	---	----------	---------

**SX2500 Options  
CPU Options**

001978	Motherboard/CPU Kit; Single Sun SPARC 1.6GHz, U3I, SX2500	\$3,357.18	2 Years
001979	Motherboard/CPU Kit; Dual Sun SPARC 1.6GHz, U3I, SX2500	\$4,755.34	2 Years

**Memory Options**

001562	512MB; SPARC SX2500	\$77.25	2 Years
001408	256MB; SPARC, Sun V210/V240	\$83.43	2 Years
001563	1GB; SPARC SX2500	\$241.01	2 Years
001630	2GB; SPARC SX2500	\$383.15	2 Years

**Controller Options  
All SX2500 Systems**

000063	Controller; 64-bit PCI-X Fibre Channel DAS/SAN, Copper, SPARC	\$1,127.96	2 Years
000062	Controller; 64-bit PCI-X Fibre Channel DAS/SAN. SPARC	\$952.56	2 Years
001674	Controller; SPARC, Dual 10/100/1000Mbps Ethernet; Dual 80Mbps Wide Ultra2 SE/LVD SCSI	\$924.68	2 Years
000075	Controller; Single-Ended Ultra320 SCSI, Dual-Channel, SPARC	\$613.36	2 Years
000071	Controller; Single-Ended Ultra SCSI, Dual-Channel, SPARC	\$348.49	2 Years
000059	Controller; Differential Ultra SCSI, Dual-Channel, SPARC	\$600.58	2 Years
000056	Controller; Single-Ended Ultra SCSI, SPARC	\$185.87	2 Years
000070	Controller; Single-Ended Ultra SCSI, Dual-Channel, SPARC	\$261.38	2 Years
000058	Controller; Differential Ultra SCSI, Dual-Channel, SPARC	\$1,137.49	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**Rackmount Only**

000017	Sound Adapter; SPARC	\$321.78	2 Years
--------	----------------------	----------	---------

**Disk Options  
All SX2500 Systems**

000113	18.2GB SCSI Disk Drive, 15K, 80-pin	\$209.82	2 Years
000116	36GB SCSI Disk Drive; 10K, 80-pin	\$191.31	2 Years
000414	36GB SCSI Disk Drive; 15K, 80-pin	\$336.95	2 Years
000123	73GB SCSI Disk Drive; 10K, 80-pin	\$320.91	2 Years
001796	73GB SCSI Disk Drive; 15K, 80-pin	\$647.98	2 Years
000109	146GB SCSI Disk Drive, 10K, 80-pin	\$592.44	2 Years
001583	300GB SCSI Disk Drive; 10K, 80-pin	\$1,196.74	2 Years
000419	Drive Canister; SCSI, Black	\$87.89	2 Years
000418	Drive Canister; SCSI, Beige	\$87.89	2 Years

**Tower Only**

000115	36GB SCSI Disk Drive; 10K, 68-pin	\$191.31	2 Years
000117	36GB SCSI Disk Drive; 15K, 68-pin	\$309.80	2 Years
000122	73GB SCSI Disk Drive; 10K, 68-pin	\$444.33	2 Years
001693	300GB SCSI Disk Drive; 10K, 68-pin	\$1,431.74	2 Years
001434	Disk Drive Adapter; 5.25" to 3.5"	\$2.18	2 Years

**Removable Media  
Optical Options  
Rackmount Only**

000328	CD-R; 52X, Black, IDE	\$27.90	2 Years
001330	CD-Rom; 52x32x52, Black, IDE	\$40.46	2 Years
001606	DVD-Rom Slim; 8x24x24x24, Black, IDE	\$118.58	2 Years
002056	DVD-Rom Slim; 24x124x10x8x8, Black, IDE	\$134.07	2 Years
002120	DVD-Rom, 16x8x4x16x6x4, Black, IDE	\$86.50	2 Years
001822	DVD-ROM; 16X, Black, IDE	\$33.48	2 Years
001339	DVD-Rom; 52x32x52x16, Black, IDE	\$68.55	2 Years
001517	Disk Drive Adapter; 5.25" to 3.5"	\$2.18	2 Years
000203	Slimline Mounting Bracket	\$21.77	2 Years

**Tower Only**

000326	CD-R; 52X, Beige, IDE	\$50.22	2 Years
000422	CD-R; 52x24x52x, Beige, IDE	\$92.08	2 Years
000346	DVD-ROM; 16X, Beige, IDE	\$39.06	2 Years
001340	DVD-ROM; 52x24x52x16, Beige, IDE	\$100.97	2 Years

**Tape Options  
All SX2500 Systems**

002238	Tape Drive; LTO2, Black; 200-400	\$1,808.62	2 Years
000364	Tape Drive; 4MM, DDS-3, Beige, 12-24	\$531.16	2 Years
000366	Tape Drive; 4MM, DDS-4, Beige, 20-40	\$592.44	2 Years

**Rackmount Only**

000367	Tape Drive; VXA-1, Black, 33-66	\$650.52	2 Years
000638	3.5" Black Tape Bezel	\$11.83	2 Years
001018	3.5" Black Tape Bezel	\$6.69	2 Years
001336	Side Brackets; 3.5"/5.25" Tape Drive, Black	\$22.52	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**4U and Tower**

001627	Tape Drive; VXA-2, Black or Beige; 80-160	\$1,393.98	2 Years
--------	---	------------	---------

**4U Only**

001858	Tape Drive; DDS5, Black; 36-72	\$887.68	2 Years
--------	--------------------------------	----------	---------

**Tower Only**

000368	Tape Drive; VXA-1, White, 33-66	\$650.52	2 Years
000776	3.5" Black Tape Bezel	\$11.83	2 Years
001036	3.5" Black Tape Bezel	\$6.69	2 Years

**Floppy Option**

001425	Floppy, Black, USB	\$53.07	2 Years
--------	--------------------	---------	---------

**Graphics Adapters  
All SX2500 Systems**

001349	Graphics Adapter; XVR-100, 64MB	\$291.28	2 Years
002134	Graphics Adapter; XVR-600	\$1,179.95	2 Years

**4U and Tower**

001422	Graphics Adapter; XVR-1200	\$2,957.28	2 Years
--------	----------------------------	------------	---------

**Operating Systems**

001328	Operating System; Solaris9	\$0.00	2 Years
000361	Solaris 8 Installed NO MEDIA	\$0.00	2 Years
001613	Operating System; Solaris8 (Media Only)	\$93.80	2 Years
001410	Operating System; Solaris9 (Media Only)	\$93.80	2 Years
001821	Operating System; Solaris10	\$0.00	2 Years
001823	Operating System; Solaris10 (Media Only)	\$49.32	2 Years

**Network Adapters / Modems**

000285	Network Adapter; SPARC. 155MMF, Single-Channel	\$919.03	2 Years
001645	Network Adapter; SPARC, 10/1000, RJ45	\$281.41	2 Years
001303	Network Adapter; SPARC, 10/1000, 4-channel, RJ45	\$848.18	2 Years
000281	Mouse; PS/2, Trackball, Wireless	\$113.46	2 Years
000068	Network Adapter; 4-port High Speed Synchronous Serial I/O, SPARC	\$1,446.26	2 Years

**Monitor Options**

000235	Monitor; 17" Beige	\$231.58	2 Years
000233	Monitor/Keyboard; 15", 1U, Black	\$1,116.76	2 Years
000238	Monitor; 19" Beige	\$292.27	2 Years
000883	Monitor; 21" Beige	\$522.34	2 Years

**Miscellaneous (Keyboard, Mice, Etc.)  
All SX2500 Systems**

000167	Keyboard/Mouse Kit; USB, Beige, Type6, SUN	\$50.78	2 Years
000627	Keyboard/Mouse Kit; USB, Beige, Type6 PC Style, SUN	\$44.43	2 Years
000002	Sound Adapter; SPARC	\$321.78	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE SPARC SYSTEMS**

**Rackmount Only**

000204	Slide Rails; 24"	\$40.81	2 Years
--------	------------------	---------	---------

**4U and Tower**

001286	Riser Card, Audio, SPARC 2500	\$144.82	2 Years
--------	-------------------------------	----------	---------

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE PC's**

**Operating Systems  
Available on ALL Systems**

001784	Windows XP Professional SP2	\$145.79	2 Years
000353	Operating System; Windows 2000 Professional	\$146.63	2 Years
000354	Operating System; Windows 2000 Server w/5CAL	\$730.62	2 Years
000426	Operating System; Windows 2003 Enterprise w/5CAL	\$716.86	2 Years
001777	Windows 2003 Server w/5CAL (32-bit)	\$136.92	2 Years
001778	Windows 2003 Enterprise Server w/25CAL (32-bit)	\$2,795.72	2 Years
001779	Windows 2003 Enterprise Server w/25CAL (64-bit)	#VALUE!	2 Years
001767	Windows Office 2003 Professional	\$316.90	2 Years
001768	Windows Office XP Small Business	\$182.43	2 Years
001771	Windows Office 2000 Small Business	\$210.98	2 Years
001769	Windows Office 2003 Small Business	\$239.05	2 Years
002199	Linux SuSE Desktop Professional 9.3	\$88.82	2 Years
001065	Single Channel PCI-X U320 SCSI Host Bus Adapter w/HostRAID	\$324.86	2 Years
001746	Operating System; Linux Enterprise, WS, X86	\$295.23	2 Years
001745	Operating System; Linux Enterprise, WS, AMD/EM64T	\$295.23	2 Years

**The Following Operating Systems Only Available on Opteron and Xeon Systems**

002202	Solaris 9 x86 Desktop License (Single processor)	\$98.74	2 Years
002203	Solaris 9 x86 Workgroup Server2 (Up to 2 processors)	\$251.79	2 Years
002200	Solaris 9 x86 Desktop License (Up to 4 processors)	\$251.79	2 Years
002201	Solaris 9 x86 Workgroup Server4 License (Up to 4 processors)	\$1,530.48	2 Years
001350	Solaris SPARC/x86 DVD Media Kit	\$93.80	2 Years

**Keyboards**

001757	PS/2 Keyboard; Beige	\$10.92	2 Years
--------	----------------------	---------	---------

**Chassis Ruggedization**

002234	Chassis/System Ruggedization	\$528.97	2 Years
--------	------------------------------	----------	---------

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

R14AAA-PCPDSMi	<p><b>1U Ruggedized Rackmount Server</b>                      1 (x8) PCI-Express or 1x 64-bit 133Mhz PCI-X, 1x 32-bit 33Mhz PCI.                      Dual PCI-Express Gigabit LAN Ports. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 16MB Graphics Controller. 4x 3.5" Hot-Swap SATA Drive Bays. 300W Power Supply. 4x Internal USB Headers - 2x Rear USB Ports. 1x Fast UART 16550 serial port, 1x serial header. 1x ECP/EPP Parallel Header. PS/2 keyboard and mouse ports. Single Core 2 Duo E6400 2.13Ghz Processor. 2GB Memory; DDR2-533 ECC Unregistered (2x 1GB Modules). 80GB SATA Disk Drive. 3.5" 1.44 Floppy Disk Drive. Slim DVD-RW. Mechanical Ruggedization Procedures. Dimensions: 17.2"(W) x 19.8"(D) x 1.7"(H).</p>	\$2,428.10	2 Years
----------------	--	------------	---------

R14AAA-PCX6DHP	<p><b>1U Rackmount Server</b>                      2x Universal SXB Slots; 1 (x8) PCI-Express Expansion Slot -OR- 1 x 64-bit 100Mhz Full-height/length PCI-X slot. Dual Intel 82546GB Gigabit Ethernet ports. Marvell 88SX6081 4-port SATA Controller with AIC-8110. Zero Channel RAID Support. ATI Rage XL SVGA PCI video controller with 8MB video memory. 560W Cold-swap Power Supply. 2x USB rear ports, 1x USB internal header; USB 2.0 Compliant/1.1 Compliant. 2x Fast UART 16550 serial headers. 4x 3.5" SATA Hot-Swap Drive Bays. PS/2 keyboard and mouse ports. Dual 3.2Ghz Xeon processors; 800Mhz FSB; 1MB L2 Cache. 4GB Memory; DDR-333 ECC Registered (4x 1GB Modules). 400GB RE2 SATA2 Hard Disk Drive; 16MB; 7200rpm. Windows Server 2003 Standard R2 32-bit with 5CALs. Dimensions: 17.2"(W) x 26.8"(D) x 1.7"(H).</p>	\$3,929.36	2 Years
----------------	---	------------	---------

R14AAA-PCX7DBR	<p><b>1U Ruggedized Rackmount Server</b>                      Left Universal Slot: 1x 64-bit 133Mhz PCI-X or 1x (x8) PCI-Express expansion slot. Dual-port Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 16MB Graphics Controller. 4x 3.5" Hot-Swap SAS/SATA Drive Bays. 700W Power Supply. 3x USB rear ports, 3x USB internal headers. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Dual Dual-Core Xeon 2.0Ghz Processor, 4MB Cache, 1333 FSB. 2GB Memory; DDR2-533 ECC Registered (2x 1GB Modules). 4x 500GB 7200rpm SATA Disk Drives. Slim DVD-ROM. No Operating System. Mechanical Ruggedization Procedures. Dimensions: 17.2"(W) x 25.6"(D) x 1.7"(H).</p>	\$4,443.21	2 Years
----------------	---	------------	---------

R14AAA-PCX7DCL	<p><b>1U Short-Depth Rackmount Server</b>                      1 (x8) PCI-Express Slot. Dual (Intel 82573V &amp; 82573L) Gigabit LAN Ports. XGI Z9 Graphics with 32MB of Video Memory. 520W High-efficiency Power Supply. 2x USB rear ports &amp; 3x USB internal headers (2.0/1.1 Compliant). 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Dual Quad-Core E5420 2.50Ghz Processors; 12MB Cache; 1333Mhz. 8GB Memory; DDR2-667 ECC Registered (4x 2GB Modules). 1x 1TB 7200rpm SATA2 Disk Drive; 32MB. 12.7mm Slim 8X DVD±R Burner Black E-IDE(ATAPI). PCI-Express x4 4-Channel SATA2 RAID Controller. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 18.5"(D) x 7"(H).</p>	\$5,642.20	2 Years
----------------	--	------------	---------

**Options For Ruggedized Rackmount Server No. R14AAA-PCX7DCL**

004103	Second Xeon Quad-Core E5420 2.50Ghz; 12MB Cache; 1333FSB	\$438.29	2 Years
--------	--	----------	---------

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

R14AAA-PCX7SBU	<p><b>1U Ruggedized Rackmount Server</b>                      2x (x8) PCI-Express (using x16 slot); 1x (x4) PCI-Express (using x8 slot); 1x UIO expansion slots 1U 2-Slot Riser - PCI-Express (x8) + UIO Slot - Left Side 1U PCI-Express (x8) Riser for UIO Slot - Right Side Dual-port PCI-Express Gigabit Ethernet Controller On-Board SATA; Supports 6 SATA interfaces &amp; RAID On-Board ATI ES1000 (32MB) Graphics Controller 4x 3.5" Hot-Swap SAS/SATA Drive Bays 560W High-Efficiency Power Supply Up to 8x USB 2.0 Ports; 2x rear ports, 2 internal headers (4 ports) 1x Fast UART 16550 serial port; 1x internal serial header PS/2 keyboard and mouse ports Single Core 2 Duo E8400 3.0Ghz Processor; 6MB Cache, 1333Mhz FSB 2GB Memory; DDR3-1066 non-ECC Unregistered (2x 1GB Modules) 2x 250GB 7200rpm SATA Disk Drives Slim Dual Layer DVD+/-RW Drive Slimline 3.5" 1.44 Floppy Drive PRO/1000PT PCI-Express Gigabit Ethernet Controller Single-Channel Ultra320 SCSI PCI-Express Controller 100/260GB.</p> <p>AIT3 SCSI Tape Drive Black 104-Key PS/2 Keyboard and 2-button Scroll Mouse Windows XP Professional SP2C Installed Slide Rail Kit Mechanical Ruggedization Procedures                      Dimensions: 17.2"(W) x 25.6"(D) x 1.7"(H)</p>	\$4,125.94	2 Years
R14AAA-PCH8DMR(D)	<p><b>1U Ruggedized Rackmount Server</b>                      Left Universal Slot: 1x 64-bit PCI-X 133Mhz or (x8) PCI-Express.                      Right Universal Slot: 1x 64-bit 133Mhz or (x8) PCI-Express expansion slots.                      Dual-Port Gigabit LAN/Ethernet Controller. On-Board SATA (Supports RAID 0, 1 0+1, 5, JBOD). On-Board ATI ES1000 16MB Graphics Controller. 4x 1" Hot-Swap SATA Drive Bays. 560W Power Supply. 2x Internal USB Headers; 2x Rear USB Ports. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Dual Dual-Core Opteron 2218 2.6Ghz 2MB Cache Processors. 2GB Memory; DDR2-533 ECC Registered (4x 512MB Modules). 2x 80GB SATA Disk Drives. 3.5" 1.44 Floppy Disk Drive. Slim DVD-RW. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures.                      Dimensions: 17.2"(W) x 25.6"(D) x 1.7"(H).</p>	\$4,256.81	2 Years
R14AAA-PCH8DMR(S)	<p><b>1U Ruggedized Rackmount Server</b>                      Left Universal Slot: 1x 64-bit PCI-X 133Mhz or (x8) PCI-Express.                      Right Universal Slot: 1x 64-bit 133Mhz or (x8) PCI-Express expansion slots.                      Dual-Port Gigabit LAN/Ethernet Controller. On-Board SATA (Supports RAID 0, 1 0+1, 5, JBOD). On-Board ATI ES1000 16MB Graphics Controller. 4x 1" Hot-Swap SATA Drive Bays. 560W Power Supply. 2x Internal USB Headers; 2x Rear USB Ports. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Single Dual-Core Opteron 2218 2.6Ghz 2MB Cache Processors. 2GB Memory; DDR2-533 ECC Registered (2x 1GB Modules). 2x 80GB SATA Disk Drives. 3.5" 1.44 Floppy Disk Drive. Slim DVD-RW. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures.                      Dimensions: 17.2"(W) x 25.6"(D) x 1.7"(H).</p>	\$3,450.77	2 Years
R23AAA-PC80570E	<p><b>2U short-depth Ruggedized Rackmount Server</b>                      1333/1066/800Mhz Front Side Bus 1x (x16); 1x (x4)(using x8 slot) PCI-Express; 5x 32-bit PCI expansion slots 2U Riser supporting slot 7 (x16); slot 6 (PCI); slot 5 (x8) Dual-Port Gigabit PCI-Express Ethernet ports Built-in SATA2 Controller; 6x SATA Drive Support 1x external 5.25"; 1x external 3.5"; 3x internal 3.5"; Slim DVD Drive Bays 400W Power Supply 12x USB 2.0/1.1 ports; 6x rear ports + 2x on-board + 2x headers 1x Fast UART 16550 serial port; 3x serial headers 1x Parallel Port header PS/2 keyboard and mouse ports Single Xeon Dual-Core E8400 3.0Ghz 6MB Cache 1333FSB Processor 4GB Memory; DDR2-800 non-ECC unregistered DIMM (4x 1GB Modules) 250GB 5400rpm SATA Removable Disk Drive Slim DVD-RW GeForce 8600GT PCI-Express 256MB Graphics Adapter Windows XP Professional SP2B Installed Slide Rail Kit Mechanical Ruggedization Procedures                      Dimensions: 19"(W) x 17"(D) x 3.5"(H)</p>	\$2,312.34	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

**Options For Ruggedized Rackmount Server No. R23AAA-PC80570E**

003373	nVidia Quadro NVS440 PCI-Express 256MB 4-port Graphics Adapter	\$423.17	2 Years
R24AAA-PCQ5380	<p><b>2U Ruggedized Rackmount Server</b></p> <p>2x PCI-X 133Mhz; 1x x8 PCI-Express (x4 Signal); 2x x16 PCI-Express (x8 signal); 1x x4 PCI-Express (x8 signal) expansion slots.</p> <p>Dual-port Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 32MB DDR frame buffer Graphics Controller. 4x 3.5" Hot-Swap SATA Drive Bays. 600W Power Supply. 6x USB rear ports, 2x USB internal headers. 1x Fast UART 16550 serial port. PS/2 keyboard and mouse ports. Dual Quad-Core Xeon E5345 2.33Ghz 8MB 1333FSB Processors. 4GB Memory; DDR2-667 ECC Registered Fully Buffered (4x 1GB Modules). 2x 750GB 7200rpm SATA2 Disk Drives. Slim DVD+/-RW. PCI Quad-Port Gigabit Ethernet Adapter. Ergonomic Keyboard &amp; Optical Mouse Kit. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 24"(D) x 3.5"(H).</p>	\$8,503.67	2 Years
R24AAR-PCS5380	<p><b>2U Ruggedized Rackmount Server</b></p> <p>2x PCI-X 64-bit 133Mhz; (1) inverted PCI-Express x4 slot (w/x8 signal) for risers, in-lined with the first PCI-X slot; 1x PCI-Express x16 (w/x8 signal), 1x PCI-Express x8 (w/x4 signal); 1x PCI-Express x16 (w/x8 signal) expansion slots.</p> <p>Dual-port Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 32MB DDR frame buffer Graphics Controller. 4x 3.5" Hot-Swap SCSI or SATA Drive Bays. 550W Power Supply. 6x USB rear ports, 2x USB internal headers. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Dual Quad-Core Xeon E5345 2.33Ghz 1333FSB Processors. 4GB Memory; DDR2-667 ECC Registered (2x 2GB Modules). 4x 500GB 7200rpm SATA2 Disk Drives. Slim DVD+/-RW. 4-Port Low-Profile PCI SATA RAID Controller. 4-Port Front USB2.0 Hub. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 24"(D) x 3.5"(H).</p>	\$6,604.42	2 Years
R24AAA-PCP5NE	<p><b>2U Ruggedized Rackmount Server</b></p> <p>1333/1066/800/533Mhz Front Side Bus.</p> <p>2x PCI-Express x16; 1x PCI-Express x1; 2x PCI (2.2) expansion slots. (2U Riser Card: 2 PCI/1 PCI-Express x16 expansion slots). Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 0+1, 5, JBOD). 3x Internal 3.5" SATA Drive Bays; 1x 5.25" and 1x 3.5" External Drive Bays. 1x slim CD drive bay. 350W Power Supply. 4x USB 2.0/1.1 ports; 2x USB headers. 1x Parallel port; 1x 1394a connector; 1x S/PDIF Out port. PS/2 keyboard and mouse ports. Core 2 Duo E6700 2.66Ghz 4MB 1066FSB Processor. 4GB Memory; DDR2-800 non-ECC unregistered DIMM (4x 1GB Modules). 2x 250GB 7200rpm SATA2 Disk Drives. Slim DVD-RW. ATI Radeon X1300XT 256MB PCI-Express Graphics Adapter. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 17"(D) x 3.5"(H).</p>	\$2,972.29	2 Years
R26AAA-PCP5NE	<p><b>2U Ruggedized Short-Depth Rackmount Server</b></p> <p>2x 64-bit PCI and 1x x16 PCI-Express expansion slots.</p> <p>Single Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 0+1, 5). On-Board ATI ES1000 32MB DDR frame buffer Graphics Controller. 1x 5.25", 1x 3.5" external drive bays; 3x 3.5" internal drive bays; Slim CD-ROM/DVD-ROM. 350W Power Supply. 4x USB2.0 ports, with 4 internal USB headers. 1x 1394a Firewire port, with 1x internal header. 1x ECP/EPP Parallel Port. PS/2 keyboard and mouse ports. Single Core 2 Duo E6700 2.66Ghz; 4MB Cache; 1066FSB. 4GB Memory; DDR2-800 non-ECC Unregistered (4x 1GB Modules). 2x 250GB 7200rpm SATA2 Disk Drives. Slim DVD-RW. Radeon X1300PRO 256MB 128-bit GDDR2 PCI Express x16. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 17"(D) x 3.5"(H).</p>	\$2,997.37	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

R26AAA-PCPDSME	<p><b>2U Ruggedized Rackmount Server</b>                      1x (x4) &amp; 1x (x8) PCI-Express; 2x 64-bit 133Mhz PCI-X; 2x 64-bit 100Mhz PCI-X expansion slots.                      Dual PCI-Express Gigabit LAN Ports. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 16MB Graphics Controller. 6x 3.5" Hot-Swap SAS/SATA Drive Bays. 550W Power Supply. 1x Internal USB Header for 2 ports; 2x Rear USB Ports. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Single Core 2 Duo E6400 2.13Ghz Processor. 2GB Memory; DDR2-533 ECC Unregistered (2x 1GB Modules). 2x 500GB SATA Disk Drives. Slim DVD+/-RW. Millenium G550 PCI-Express Graphics Adapter with 32MB DDR. Videum 1010 Single channel video capture adapter. 4-Port Front USB2.0 Hub. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 16.5"(W) x 25.6"(D) x 3.5"(H).</p>	\$3,219.03	2 Years
R36AAA-PCXBX2(W)	<p><b>3U Ruggedized Short-Depth Rackmount Server</b>                      2x 32-bit 33Mhz PCI expansion slots, 1x primary PCI-Express x16 (electrical x16 or x8) expansion slot, 1x secondary PCI-Express x16 (electrical x8) expansion slot, 1x PCI-Express x16 (electrical x4) expansion slot                      One Gigabit (10/100/1000) LAN Port 82573E/82573L, On-Board SATA; Supports 4 SATA interfaces &amp; RAID, On-Board ATI Crossfire Technology, 1x external 5.25"; 2x external 3.5"; 4x internal 3.5" Drive Bays (with 1x slim DVD exposed bay), 300W Power Supply, 8x USB 2.0 Ports, 1x Fast UART 16550 serial port, 1x ECP/EPP Parallel Port, PS/2 keyboard and mouse ports, Single Core 2 Duo E6700 2.66Ghz Processor; 4MB Cache, 1066Mhz FSB, 2GB Memory; DDR2-800 non-ECC Unregistered (2x 1GB Modules), Dual 120GB 7200rpm SATA Disk Drives, Slim Dual Layer DVD+/-RW Drive, GeForce 7600GT PCI-Express with 256MB DDR3; DVI+HDTV, S-Video, Windows XP Professional SP2B Installed, Mechanical Ruggedization Procedures, Dimensions: 19"(W) x 17"(D) x 5.25"(H).</p>	\$2,866.39	2 Years
R36AAA-PCXBX2(S)	<p><b>3U Ruggedized Short-Depth Rackmount Server</b>                      2x 32-bit 33Mhz PCI expansion slots. 1x primary PCI-Express x16 (electrical x16 or x8) expansion slot. 1x primary PCI-Express x16 (electrical x16 or x8) expansion slot. 1x secondary PCI-Express x16 (electrical x8) expansion slot. 1x PCI-Express x16 (electrical x4) expansion slot.                      One Gigabit (10/100/1000) LAN Port 82573E/82573L. On-Board SATA; Supports 4 SATA interfaces &amp; RAID. On-Board ATI Crossfire Technology. 1x external 5.25"; 2x external 3.5"; 4x internal 3.5" Drive Bays (with 1x slim DVD exposed bay). 300W Power Supply. 8x USB 2.0 Ports. 1x Fast UART 16550 serial port. 1x ECP/EPP Parallel Port. PS/2 keyboard and mouse ports. Single Core 2 Duo E6700 2.66Ghz Processor; 4MB Cache, 1066Mhz FSB. 2GB Memory; DDR2-800 non-ECC Unregistered (2x 1GB Modules). Dual 120GB 7200rpm SATA Disk Drives. Slim Dual Layer DVD+/-RW Drive. GeForce 6200TC 64-bit PCI-Express with 256MB DDR3; DVI+HDTV, S-Video. Windows Server 2003 Standard 32-bit with 5-CALs. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 17"(D) x 5.25"(H).</p>	\$3,254.29	2 Years
R38AAA-PCX7DBN	<p><b>3U Ruggedized Rackmount Server</b>                      1x Universal I/O (UIO) Slot; 2x (x8) &amp; 1x (x4) PCI-Express; 2x 64-bit 100Mhz PCI-X; 1x 32-bit PCI expansion slots.                      Dual-port Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 16MB Graphics Controller. 8x 3.5" Hot-Swap SAS/SATA Drive Bays. 550W Power Supply. 2x USB rear ports, 3x USB internal headers. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Single Dual-Core Xeon 3.0Ghz Processor; 4MB Cache, 1333 FSB. 2GB Memory; DDR2-533 ECC Registered (2x 1GB Modules). 2x 120GB 7200rpm SATA Disk Drives. Slim Floppy Disk Drive. Slim DVD+/-RW. Windows Server 2003 Standard 32-bit with 5-CALs. Mechanical Ruggedization Procedures. Dimensions: 17.7"(W) x 25.5"(D) x 5.2"(H).</p>	\$4,392.83	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

R38AAA-PCX7DBN(V)	<p><b>3U Ruggedized Rackmount Server</b>                      1x Universal I/O (UIO) Slot; 2x (x8) &amp; 1x (x4) PCI-Express; 2x 64-bit 100Mhz PCI-X; 1x 32-bit PCI expansion slots.                      Dual-port Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 16MB Graphics Controller. 8x 3.5" Hot-Swap SAS/SATA Drive Bays. 550W Power Supply. 2x USB rear ports, 3x USB internal headers. 1x Fast UART 16550 serial port, 1x serial header. 1x ECP/EPP Parallel Header. PS/2 keyboard and mouse ports. Single Dual-Core Xeon 3.0Ghz Processor; 4MB Cache, 1333 FSB. 2GB Memory; DDR2-533 ECC Registered (2x 1GB Modules). 2x 120GB 7200rpm SATA Disk Drives. GeForce NVIDIA 7600GT PCI-Express 256MB Video Adapter. Slim Floppy Disk Drive. Slim DVD+/-RW. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 17.7"(W) x 25.5"(D) x 5.2"(H).</p>	\$3,939.43	2 Years
R38AAA-PCH8DAE	<p><b>3U Ruggedized Rackmount Server</b>                      2x (x16), 1x (x8) &amp; 1x (x4) (using x8 slot) PCI-Express; 1x 64-bit 133Mhz PCI-X; 1x 64-bit 100Mhz PCI-X expansion slots.                      Dual-Port Gigabit LAN/Ethernet Controller. On-Board SATA (Supports RAID 0, 1 0+1, 5, JBOD). 4x 1" Hot-Swap SATA Drive Bays. 550W Power Supply. 4x Internal USB Headers; 4x Rear USB Ports. 2x Fast UART 16550 serial port, 1x serial header. 1x ECP/EPP Parallel Port. PS/2 keyboard and mouse ports. Dual Dual-Core Opteron 2218 2.6Ghz 2MB Cache Processors. 2GB Memory; DDR2-533 ECC Registered (4x 512MB Modules). 2x 80GB SATA Disk Drives. 3.5" 1.44 Floppy Disk Drive. Slim DVD+/-RW. Quadro FX3500 PCI-Express Graphics Controller with 256MB GDDR3. DVI-DL+DVI-SL+ST. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 17.7"(W) x 25.5"(D) x 5.2"(H).</p>	\$5,148.50	2 Years
R38AAA-PCH8DME	<p><b>3U Ruggedized Rackmount Server</b>                      2x x8 PCI-Express; 2x 64-bit 133/100Mhz PCI-X; 2x 64-bit 100Mhz PCI-X expansion slots. Dual-port LAN/Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 0+1, 5, JBOD). On-Board ATI ES1000 16MB Graphics Controller. 8x 3.5" Hot-Swap SAS/SATA Drive Bays. 550W Power Supply. 4x Internal USB Headers; 2x Rear USB Ports. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Dual AMD Dual-Core Opteron 2000 Series; 2.4Ghz. 8GB Memory; DDR2-667 ECC Registered (8x 1GB Modules). 5x 500GB 7200rpm SATA2 Disk Drives. 2x 74GB 10K rpm SATA Disk Drives. 8-port PCI-Express SATA RAID Controller. Slim DVD-RW. Mechanical Ruggedization Procedures. Dimensions: 17.7"(W) x 25.5"(D) x 5.2"(H).</p>	\$5,944.47	2 Years
R38AAA-PCH8DME(S)	<p><b>3U Ruggedized Rackmount Server</b>                      2x x8 PCI-Express; 2x 64-bit 133/100Mhz PCI-X; 2x 64-bit 100Mhz PCI-X expansion slots. Dual-port LAN/Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 0+1, 5, JBOD). On-Board ATI ES1000 16MB Graphics Controller. 8x 3.5" Hot-Swap SAS/SATA Drive Bays. 550W Power Supply. 4x Internal USB Headers; 2x Rear USB Ports. 1x Fast UART 16550 serial port, 1x serial header. PS/2 keyboard and mouse ports. Dual AMD Dual-Core Opteron 2000 Series; 2.4Ghz. 2GB Memory; DDR2-667 ECC Registered (2x 1GB Modules). 1x 500GB 7200rpm SATA2 Disk Drives. 1x 74GB 10K rpm SATA Disk Drives. Quad-Port PCI-X Gigabit Ethernet Controller. Slim DVD-RW. Slim 3.5" Floppy Drive. Mechanical Ruggedization Procedures. Dimensions: 17.7"(W) x 25.5"(D) x 5.25"(H).</p>	\$3,884.02	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

R316AAR-PCQ5380	<p><b>3U Ruggedized Rackmount Server</b>                      2x PCI-X 133Mhz; 1x x8 PCI-Express (x4 Signal); 2x x16 PCI-Express (x8 signal); 1x x4 PCI-Express (x8 signal) expansion slots.                      Dual-port Gigabit Ethernet Controller. On-Board SATA (Supports RAID 0, 1, 5, 10). On-Board ATI ES1000 32MB DDR frame buffer Graphics Controller. 16x 3.5" Hot-Swap SATA Drive Bays. 800W Redundant Power Supply. 6x USB rear ports, 2x USB internal headers. 1x Fast UART 16550 serial port. PS/2 keyboard and mouse ports. Dual Quad-Core Xeon E5345 2.33Ghz 8MB 1333FSB Processors. 4GB Memory; DDR2-667 ECC Registered Fully Buffered (4x 1GB Modules). 8x 750GB 7200rpm SATA2 Disk Drives. 1x 320GB 7200rpm SATA2 Disk Drive. Slim DVD+/-RW. 12-Port Profile PCI SATA2 RAID Controller. Quadro FX3500 256MB GDDR3 PCI-Express x16 Graphics Adapter. PCI Quad-Port Gigabit Ethernet Adapter. Ergonomic Keyboard &amp; Optical Mouse Kit. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 28"(D) x 5.25"(H).</p>	\$14,191.32	2 Years
R316AAR-PCX7DWN	<p><b>3U Ruggedized Server</b>                      3x (x8) OCI-Express; 1x (x4) PCI-Express (using x8 slot); 2x 64-bit 133Mhz PCI-X; 1x UIO expansion slots Dual-port Gigabit Ethernet Controller On-Board SATA (Supports RAID 0, 1, 5, 10) On-Board ATI ES1000 32MB DDR frame buffer Graphics Controller 16x 3.5" Hot-Swappable SAS/SATA Drive Bays 800W Redundant Power Supply 2x USB rear ports, 3x USB internal headers 1x Fast UART 16550 serial port and 1x Header PS/2 keyboard and mouse ports Dual Quad-Core Xeon E5450 3.0Ghz 12MB 1333FSB Processors 64GB Memory; DDR2-667 ECC Registered Fully Buffered (16x 4GB Modules) 16x 1TB SATA2 Removable Hard Drives 16-Channel PCI-Express 256MB SATA/SAS RAID Controller GeForce 8600GT PCI-Express 256MB DDR Graphics Adapter Slim DVD+/-RW Slim 3.5" 1.44M Floppy Drive Universal I/O 2-port 10-Gigabit Ethernet LAN Card Windows XP Professional SP2C Installed Slide Rail Kit Mechanical Ruggedization Procedures Dimensions: 17.2"(W) x 25.5"(D) x 5.2"(H)</p>	\$15,511.34	2 Years
R44AAR-PCX7DAL	<p><b>4U short-depth Ruggedized Server</b>                      1x (x16) &amp; 1x (x4 in x16) PCI-Express; 2x 64-bit 133/100Mhz PCI-X; 2x 32-bit PCI 33Mhz; 1x UIO expansion slot Dual-Port Gigabit LAN/Ethernet Controller On-Board SATA (Supports RAID 0, 1, 5, 10) GeForce 8600GT PCI-Express 256MB DDR3 2X DVI 620Mhz Graphics Adapter 3x external 5.25"; 1x external 3.5" 2x internal 3.5" Drive Bays 500W 1+1 Hot-Swap Redundant 12V Power Supply 4x USB rear ports; 1x USB internal header 1x Fast UART 16550 serial port &amp; 1 header 1x ECP/EPP Parallel Port Header PS/2 keyboard and mouse ports Dual Xeon Quad-Core X5450 3.0Ghz 12MB 1333FSB Processors 16GB Memory; DDR2-667 ECC Registered (4x 4GB Modules) 2x 1TB ES.2 SATA2 Removable Disk Drives; 7200rpm 32MB 20X internal SATA DVD Dual RW Windows XP Professional SP2C Installed OR Enterprise Linux WS v4 Media &amp; License Slide Rail Kit Mechanical Ruggedization Procedures Dimensions: 19"(W) x 18.5"(D) x 7"(H)</p>	\$6,544.08	2 Years
R44AAR-PCX7DCA	<p><b>4U short-depth Ruggedized Rackmount Server</b>                      1x (x16) PCI-Express; 1x (x8) PCI-Express; 1x (x4) PCI-Express (using x8 slot); 1x PCI 33Mhz expansion slots Dual-port Gigabit Ethernet Controller On-Board SATA (Supports RAID 0, 1, 5, 10) XGI Z9s On-Board Graphics Adapter with 32MB DDR2 Memory 2x External 5.25"; 2x Hot-Swap 3.5"; 1x Internal 3.5" expansion bays 500W Redundant Power Supply 4x rear USB Ports; 1 USB Header (2 Ports) 1x Fast UART 16550 serial port, 1x serial header PS/2 keyboard and mouse ports Dual Quad-Core Xeon E5450 3.0Ghz 1333FSB Processors 16GB Memory; PC2-5300 ECC Registered (4x 4GB Modules) 2x 1TB 7200rpm ES.2 Removable SATA2 Disk Drives 20X Internal SATA DVD Dual RW GeForce 8600GT PCI-Express 256MB DDR3 2x DVI Garphics Adapter Slide Rail Kit Windows XP Professional SP2C Installed OR Enterprise Linux WS v4 Media and License Mechanical Ruggedization Procedures Dimensions: 19"(W) x 17.5"(D) x 7"(H)</p>	\$6,342.57	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

R45AAR-PCXBX2(8v)	<p><b>4U Ruggedized Rackmount Server</b>                      2x 32-bit 33Mhz PCI expansion slots. 1x primary PCI-Express x16 (electrical x16 or x8) expansion slot. 1x secondary PCI-Express x16 (electrical x8) expansion slot. 1x PCI Express x16 (electrical x4) expansion slot.                      One Gigabit (10/100/1000) LAN Port 82573E/82573L. On-Board SATA; Supports 4 SATA interfaces &amp; RAID. On-Board ATI Crossfire Technology. 3x external 5.25"; 1x external 3.5"; 2x internal 3.5" Drive Bays (with 2x optional internal 3.5" drive bays). 500W Hot-Swap Redundant Power Supply. 8x USB 2.0 Ports. 1x Fast UART 16550 serial port. 1x ECP/EPP Parallel Port. PS/2 keyboard and mouse ports. Single Core 2 Duo E6700 2.66Ghz Processor; 4MB Cache, 1066Mhz FSB. 2GB Memory; DDR2-800 non-ECC Unregistered (2x 1GB Modules). Dual 100GB 7200rpm SATA Disk Drives. 3.5" 1.44 Floppy Disk Drive. Slim Dual Layer DVD+/-RW Drive. Dual NVIDIA Quadro NVS 440 PCI-Express Graphics Adapters. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 20"(D) x 7"(H). FCC, CSA, UL, NRTL (TUV) certification.</p>	\$4,458.33	2 Years
R45AAR-PCXBX2(4v)	<p><b>4U Ruggedized Rackmount Server</b>                      2x 32-bit 33Mhz PCI expansion slots. 1x primary PCI-Express x16 (electrical x16 or x8) expansion slot. 1x secondary PCI-Express x16 (electrical x8) expansion slot. 1x secondary PCI-Express x16 (electrical x8) expansion slot. 1x secondary PCI-Express x16 (electrical x8) expansion slot. 1x PCI-Express x16 (electrical x4) expansion slot.                      One Gigabit (10/100/1000) LAN Port 82573E/82573L. On-Board SATA; Supports 4 SATA interfaces &amp; RAID. On-Board ATI Crossfire Technology. 3x external 5.25"; 1x external 3.5"; 2x internal 3.5" Drive Bays (with 2x optional internal 3.5" drive bays). 500W Hot-Swap Redundant Power Supply. 8x USB 2.0 Ports. 1x Fast UART 16550 serial port. 1x ECP/EPP Parallel Port. PS/2 keyboard and mouse ports.                       Single Core 2 Duo E6700 2.66Ghz Processor; 4MB Cache, 1066Mhz FSB. Single Core 2 Duo E6700 2.66Ghz Processor; 4MB Cache, 1066Mhz FSB. 2GB Memory; DDR2-800 non-ECC Unregistered (2x 1GB Modules). Dual 100GB 7200rpm SATA Disk Drives. 3.5" 1.44 Floppy Disk Drive. Slim Dual Layer DVD+/-RW Drive. Single NVIDIA Quadro NVS 440 PCI-Express Graphics Adapters. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 20"(D) x 7"(H). FCC, CSA, UL, NRTL (TUV) certification.</p>	\$3,924.32	2 Years
R45AAR-PCX7DCA	<p><b>4U short-depth Ruggedized Rackmount Server</b>                      1x (x16) PCI-Express; 1x (x4) PCI-Express (using x8 slot); 1x PCI 33Mhz expansion slots Dual PCI-Express Gigabit LAN Ports On-Board SATA (Supports RAID 0, 1, 5, 10) XGI X9s On-Board Graphics with 32MB 2x 5.25" external; 2x 3.5" Hot-Swap; 1x 3.5" internal drive bays 500W Redundant Power Supply 4x Rear USB ports; 1x internal header (2 ports) 1x Fast UART 16550 serial port, 1x serial header PS/2 keyboard and mouse ports Dual Quad-Core E5450 3.0Ghz 12MB 1333FSB Processor 8GB Memory; PC2-5300 ECC Registered (4x 2GB Modules) 2x 750GB ES.2 SATA2 7200rpm 32MB Removable Disk Drives 20X Internal SATA DVD Dual RW GeForce 8600GT PCI-Express 256MB DDR3 2X DVI Graphics adapter Windows XP Professional SP2B Installed OR Enterprise Linux WS v4 Media &amp; License Slide Rail Kit Mechanical Ruggedization Procedures Dimensions: 19"(W) x 17.5"(D) x 7"(H)</p>	\$5,738.04	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

R45ASA-PCDP45SG	<p><b>4U short-depth Ruggedized Server</b>                  2x x16 PCI-Express; 2x x1 PCI-Express; 3x 32-bit PCI expansion slots Intel 82567LF Gigabit Ethernet Adapter On-Board SATA (Supports RAID 0, 1, 5, 10) Quadro FX1500 PRO PCI-Express 256MB 400Mhz RAMDAC, 256-bit Graphics Adapter 1x 3.5" external; 4x 5.25 removable external; 2x 3.5" internal drive bays 500W PS/2 ATX Switching Power Supply 6x High-Speed USB 1x Fast UART 16550 serial port PS/2 keyboard and mouse ports Single Core 2 Duo E8400 3.0Ghz E8400 with 1333FSB 2GB Memory; DDR3-1066 ECC Registered (2x 1GB Modules) 146GB 15Krpm 16MB Ultra320 68-pin SCSI Disk Drive Slim DVD-ROM Intel PRO Gigabit Server Ethernet Adapter Windows XP Professional SP3 Installed Slide Rail Kit Mechanical Ruggedization Procedures Dimensions: 19"(W) x 20.8"(D) x 7"(H)</p>	\$3,622.17	2 Years
-----------------	---	------------	---------

R46AAA-PCPDSBA	<p><b>4U Ruggedized Short-Depth Rackmount Server</b>                  1x (x16) PCI-Express slot (intended for Graphics applications); 1x (x4) PCI-Express slot (using an x8 physical slot); 1x (x1) PCI-Express slot; 3x 32-bit 33Mhz PCI (5V) slots. Single Gigabit LAN Port. On-chip integrated Gfx Graphics. 550W Power Supply with triple cooling. 2x Internal USB2.0 Headers for 4 ports; 6x USB2.0 Ports. 1x Fast UART 16550 serial port, 1x serial header. 1x ECP/EPP Parallel Port. PS/2 keyboard and mouse ports. PS/2 keyboard and mouse ports. Single Core 2 Duo E6400 2.13Ghz Processor. Single Core 2 Duo E6400 2.13Ghz Processor. 2GB Memory; DDR2-667 non-ECC Unregistered (2x 1GB Modules). 1x 150GB 10Krpm SATA2 Disk Drive. 5.25" Combo DVD/CD-RW. GeForce 8600GTS 256MB 128-bit GDDR3 PCI-Express x16 HDCP. 2-Port Front USB2.0. Keyboard/Mouse Kit. Windows XP Professional SP2B Installed. Mechanical Ruggedization Procedures. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 18.5"(D) x 7"(H).</p>	\$3,219.03	2 Years
----------------	--	------------	---------

**Options For Ruggedized Rackmount Server No. R46AAA-PCPDSBA**

G8800GTS	<b>GeForce 8800GTS 640MB 320-bit GDDR3 PCI Express x16 HDCP</b>	\$418.02	2 Years
002234	<b>Mechanical Ruggedization Procedures</b>	\$669.91	2 Years
002847	<b>500GB 7200rpm SATA2 Disk Drive</b>	\$241.70	2 Years
003119	<b>150GB 10Krpm SATA Disk Drive</b>	\$342.46	2 Years
003582	<b>1TB 7200rpm SATA2 Disk Drive; 32MB</b>	\$643.05	2 Years

R48AAR-PCX6DAE	<p><b>4U Ruggedized Server</b>                  1 (x16) &amp; 1x (x4) PCI-Express; 1x 64-bit 133Mhz PCI-X; 2x 64-bit 100Mhz PCI-X; 1x 32-bit 33Mhz PCI expansion slots Dual-Port Gigabit LAN/Ethernet Controller On-Board SATA (Supports RAID 0, 1, JBOD) GeForce 8400GS PCI-Express 256MB DDR2 Graphics Adapter 8x 3.5" SAS/SATA Hot-Swappable Drive Bays 650W Redundant-cooling Power Supply 4x USB rear ports; 4x USB internal headers 2x Fast UART 16550 serial ports 1x ECP/EPP Parallel Ports PS/2 keyboard and mouse ports Single Xeon 3.2Ghz; 1MB L2 Cache; 800FSB Processor 2GB Memory; DDR2-400 ECC Registered (2x 1GB Modules) 250GB SATA2 Removable Disk Drive; 7200rpm 32MB Dual Layer DVD+/-R/RW Windows XP Professional SP2C Installed USB Keyboard &amp; Mouse 4U Slide Rail Kit Mechanical Ruggedization Procedures Dimensions: 17.2"(W) x 25.5"(D) x 7"(H)</p>	\$1,939.55	2 Years
----------------	--	------------	---------

**Options For Ruggedized Rackmount Server No. R48AAR-PCX6DAE**

001547	<b>4-Port PCI-X SATA RAID Controller</b>	\$342.57	2 Years
003395	<b>Xeon 3.2Ghz; 1MB L2 Cache; 800FSB Processor</b>	\$377.83	2 Years

Part No.	Description	GSA Price	Warranty
<b>RAVE RUGGEDIZED RACKMOUNT SYSTEMS</b>			
P0008AP4	<b>Active CEK Heatsink with 4-wire PWM fan (for 2nd processor)</b>	\$25.19	2 Years
003612	<b>Software -- Excel Installed</b>	\$256.93	2 Years
RT-PCH8QM8	<b>Tower Server</b> 1x (x16) PCI-Express/HTX; 1x (x8) PCI-Express; 2x 64-bit 133/100Mhz PCI-X; 2x 64-bit 100Mhz PCI-X expansion slots Dual-port Gigabit Ethernet Controller On-Board Dual-Channel Ultra320 SCSI with 0, 1, 0+1, 5, JBOD RAID Support On-Board SATA2 3.0 (6x SATA2 ports) with 0, 1, 0+1, 5, JBOD RAID Support 5x 3.5" Hot-swap SCSI Drive Bays 3-in2 SCSI HDD Mobile Rack 1000W Redundant Power Supply 2x rear USB ports; 2x internal USB Headers 1x Fast UART 16550 serial port; 1x serial header 1x ECP/EPP Parallel Port PS/2 keyboard and mouse ports Quad Dual-Core Opteron 8218 2.6Ghz Processor; 2x1MB Cache, 95W 32GB Memory; DDR2-667 ECC Registered (16x 2GB Modules) 6x 146GB Ultra320 SCSI 15Krpm Hard Disk Drives Slim Dual Layer DVD+/-RW Drive GeForce 8600GT PCI-Express with 256MB DDR3; 2X DVI 620Mhz Dual-Port PCI-Express PRO/1000 PT Gigabit Ethernet Controller 19" LCD 1280x1024 DVI; Slim Bezel Windows XP Professional SP2C Installed USB Black Keyboard & WheelMouse Dimensions: 7"(W) x 29.4"(D) x 17.8"(H)	\$11,259.45	2 Years
RT-PCX7DA8	<b>Tower Server (Black)</b> 1 (x16) & 1 (x4) PCI-Express (using x16 slot); 2x 64-bit 133/100Mhz PCI-X; 1x 64-bit 100Mhz PCI-X; 1x 32-bit PCI 33Mhz Dual-port Gigabit Ethernet Controller On-Board SATA (Supports RAID 0, 1, 5, 10) GTX280 PCI-Express Graphics; 1024MB GDDR3 memory Full Tower Chassis (Black) with 6x 5.25" External; 2x 3.5" External; 6x 3.5" Internal Drive bays 850W Power Supply 4x USB Rear Ports; 1x internal USB Header 1x Fast UART 16550 serial port PS/2 keyboard and mouse ports Quad Core E5430 2.66Ghz Processor; 1333FSB 4GB Memory; DDR2-667 ECC Registered Fully Buffered (4x 1GB Modules) 1TB SATA-2 Removable Disk Drive; 7200rpm; 16MB Buffer 3.5" 1.44 Floppy Disk Drive Slim DVD-RW Black Keyboard & Mouse Windows XP Professional OR Enterprise Linux Workstation Standard with Enterprise Media Dimensions: 8.1"(W) x 18.6"(D) x 26.4"(H)	\$3,319.90	2 Years
RAVE-4U-SD-I-2	<b>3U Ruggedized short-depth Rackmount Server</b> 2x (x16) PCI-Express 2.0; 2x 64-bit 133Mhz PCI-X; 2x 32-bit (3.3v) PCI; 1x UIO expansion slot Dual-port Gigabit Ethernet Controller On-Board SATA (Supports RAID 0, 1, 5, 10) 3x external 5.25"; 1x external 3.5"; 2x internal 3.5" drive bays 1000W Modular Power Supply 4x USB rear ports; 1x USB internal header 1x Fast UART 16550 serial port, 1x serial header 1x ECP/EPP Parallel Header PS/2 keyboard and mouse ports Dual Quad-Core Xeon 2.83Ghz Processor; 12MB Cache, 1333 FSB 32GB Memory; DDR2-667 ECC Registered Fully Buffered (8x 4GB Modules) 250GB 7200rpm SATA2 Disk Drive 32GB IDE Flash Disk Module 20X SATA2 DVD Burner Dual FireGL V7600 PCI-Express 512MB DVI-I Dual Link Graphics Adapters Sound Blaster XtremeGamer PCI Sound Adapter Slide Rail Kit Compatible with Linux or Solaris OS (not included) Mechanical Ruggedization Procedures Dimensions: 19"(W) x 18.5"(D) x 7"(H)	\$8,251.89	2 Years
RAVE-1U-LA-UPG-1	<b>1U Ruggedized short-depth Rackmount Server</b> 1x Universal (x8) PCI-Express OR 1x 64-bit PCI-X 133Mhz expansion slot Dual-port Gigabit Ethernet PCI-Express Controllers On-Board SATA (Supports RAID 0, 1, 5, 10) On-Board ATI ES1000 32MB Graphics Controller 4x 3.5" Hot-Swap SATA Drive Bays 300W Power Supply 2x USB rear ports, 4x USB internal headers + 2x On-Board 1x Fast UART 16550 serial port, 1x serial header 1x ECP/EPP Parallel Header PS/2 keyboard and mouse ports Single Dual-Core Xeon 3.0Ghz Processor; 6MB Cache, 1333 FSB 4GB Memory; DDR2-800 Non-ECC Unregistered (4x 1GB Modules) 1x 80GB 7200rpm SATA2 Disk Drives Slim Floppy Disk Drive Slim DVD+/-RW Slide Rail Kit Windows Compatible (OS not included) Mechanical Ruggedization Procedures Dimensions: 17.2"(W) x 19.8"(D) x 1.7"(H)	\$2,010.08	2 Years

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**RAVE RUGGEDIZED RACKMOUNT SYSTEMS**

RAVE-HFWB-1UCS-1	<p><b>1U Ruggedized Short-Depth Rackmount Server</b>                      Left Universal Slot (Riser Card Required): 1x 64-bit 133Mhz PCI-X OR 1x (x8) PCI-Express expansion slot; Right Universal Slot (Riser Card Required): 1x 64-bit 100Mhz PCI-X OR 1x (x8) PCI-Express expansion slot. Left Universal Slot (Riser Card Required): 1x 64-bit 133Mhz PCI-X OR 1x (x8) PCI-Express expansion slot; Right Universal Slot (Riser Card Required): 1x 64-bit 100Mhz PCI-X OR 1x (x8) PCI-Express expansion slot. Intel (ESB2/Gilgal) 82563EB Dual-port Gigabit Ethernet Controller. Adaptec AIC-9410 Dual-Channel SAS Controller, 8-port with Host RAID 0,1,10. ATI ES1000 Graphics Controller with 16MB of video memory. 350W High-Efficiency Power Supply. 2x USB rear ports, 3x USB internal headers; Total 5 USB 2.0 Compliant/1.1 Compliant. 1x Fast UART 16550 serial port, 1x serial header. 8x SAS/SATA ports (4x internal, 4x external); 6x SATA ports. PS/2 keyboard and mouse ports. 8GB Memory; DDR2-553 ECC Registered (8x 1GB Modules). DISKLESS WORKSTATION. Mellanox MHGA28-XSC Infiniband LPA Host Bus Adapter.</p> <p>Compact Flash Drive Socket Bay with Front Panel Access and Write Protect Switch with Mechanical Locking Feature. No Operating System Installed. Mechanical Ruggedization Procedures. Dimensions: 19"(W) x 18"(D) x 1.75"(H).</p>	\$7,058.83	2 Years
RAVE-HFWB-3UDS-1	<p><b>3U Ruggedized Short-Depth Rackmount Server</b>                      1x (x16) &amp; 1x (x4 in x16) PCI-Express, 2x 64-bit 133/100Mhz PCI-X, 1x 64-bit 100Mhz PCI-X, 1x 32-bit PCI 33Mhz expansion slots. Intel (ESB2/Gilgal) 82563EB Dual-port Gigabit Ethernet Controller. Adaptec AIC-9410 Dual-Channel SAS Controller, 8-port with Host RAID 0,1,10. 600W High-Efficiency Power Supply. 2x USB rear ports, 3x USB internal headers; Total 5 USB 2.0 Compliant/1.1 Compliant. 1x Fast UART 16550 serial header. 1x ECP/EPP parallel port. 6x SATA ports. PS/2 keyboard and mouse. 2x Dual-Core 5148 2.33Ghz 1333Mhz Processorsports. 16GB Memory; DDR2-667 ECC Registered (8x 2GB Modules). DISKLESS WORKSTATION. 2x SATA2 Removable Frame and Carriers. Slim ATAPI DVDRW. FX1500 PCI-Express 256MB DDR3 3D Graphics Adapter. No Operating System Installed. Mechanical Ruggedization Procedures. Built to Navy shipboard environmental shock/vibration requirements; 901D. Dimensions: 19"(W) x 18"(D) x 5.25"(H).</p>	\$8,404.92	2 Years

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
<b>NextSnap-745NAS/LCU/Skit</b>	NextSNAP 745N 1U NAS SERVER kit of (1) 250GB SATA HDDs and carriers	\$464	1 Year
<b>FSIII-SBATII/LCU-Kit</b>	External DC/DC Battery for FlexSPARCIII (Estimated 1 hour UPS time including use of internal 15" LCD display) and NCM-BR1500 UPS for external monitors and external MSS and tape storage devices	\$2,721	1 Year
<b>NextSnap-745NAS/LCU</b>	NextSNAP 745N 1U NAS SERVER with 1 Terrabyte storage, dual 10/100/1000 Ethernet, SATAI. RAID 0/1/5 configuration options. (4) removable 250GB disks. Windows Storage 2003 Server based. Integrated support for Nextcom Flex and NextServer series Servers and cabling. Also includes:NextSnap/LCU/SYS-AccKit	\$8,817	1 Year
<b>FlexSPARCIII-D-8GB4-S100GB-S9/LCU/SYS</b>	FlexXtreme Vigor SPARCIII Series: Processor: Dual Ultrallli 1.28GHz Memory: 8GB (8x1GB) DDR, Internal LCD: 15" UXGA (1600x1200) internal LCD display with quick disconnect cable to DVI port, VGA: XVR-100 standard dual head and panoramic capable. One port with quick disconnect cable to internal LCD or to external 19" monitor, 2nd availabel DVI port to external monitor., Network: 2 x Gig-Ethernet RJ-45 (10/100/1000), Serial: 1 x D-sub 9-pin,Audio: line-in & line-out, USB: 2 x USB1.1 (type A) and 4 x USB2.0 (type A) on-board and via hub, External SCSI: 1 x Ultra160 connector) Ultra160 80MB/Second SCSI bootable, PCI: 1 x 64-bit/66MHz slot, Quick-time Removable single HDD bays: 100GB HDD and ODD bay: DVD-RW. Rugged Aluminum alloy chassis with Mil-Anodized abrasion resistant paint. Rubber corner bumpers. Solaris 9 09/04. Also includes: FSIII-DVDRW DVDRW internal, Flex-FP USB floppy, FSIII-USB/KBD additional USB Keyboard in addition to flip-down removal keyboard, FSIII-USB/MS USB 3 button optical mouse, NCM-Sol9-Kit (09/04), LCU-SC-4MMDDS4S 4mm DDS-4 tape drive, LCU-SC-VS-80i VS-80i digital linear tape drive, (2) LCU-VP19B 19" 1280x1024 @76Hz monitors, FSIII-U4HB, FSIII-P-D40000-LCU/SYS-AccKit including cables/documentation LCU component documentation;1 Year	\$23,628	1 Year
<b>FlexSPARCIII-D-4GB4-S100GB-S9/LCU/SYS</b>	FlexXtreme Vigor SPARCIII Series: Processor: Dual Ultrallli 1.28GHz Memory: 8GB (8x1GB) DDR, Internal LCD: 15" UXGA (1600x1200) internal LCD display with quick disconnect cable to DVI port, VGA: XVR-100 standard dual head and panoramic capable. One port with quick disconnect cable to internal LCD or to external 19" monitor, 2nd availabel DVI port to external monitor., Network: 2 x Gig-Ethernet RJ-45 (10/100/1000), Serial: 1 x D-sub 9-pin,Audio: line-in & line-out, USB: 2 x USB1.1 (type A) and 4 x USB2.0 (type A) on-board and via hub, External SCSI: 1 x Ultra160 connector) Ultra160 80MB/Second SCSI bootable, PCI: 1 x 64-bit/66MHz slot, Quick-time Removable single HDD bays: 100GB HDD and ODD bay: DVD-RW. Rugged Aluminum alloy chassis with Mil-Anodized abrasion resistant paint. Rubber corner bumpers. Solaris 9 09/04. Also includes: FSIII-DVDRW DVDRW internal, Flex-FP USB floppy, FSIII-USB/KBD additional USB Keyboard in addition to flip-down removal keyboard, FSIII-USB/MS USB 3 button optical mouse, NCM-Sol9-Kit (09/04), LCU-SC-4MMDDS4S 4mm DDS-4 tape drive, LCU-SC-VS-80i VS-80i digital linear tape drive, (2) LCU-VP19B 19" 1280x1024 @76Hz monitors, FSIII-U4HB, FSIII-P-D40000-LCU/SYS-AccKit including cables/documentation LCU component documentation;1 Year	\$22,419	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
<b>FlexSPARCIID-16000-12</b>	(Processor: Ultrallii 1.28GHz (single or dual) Memory: 8 x DIMM slot (up to 16GB max. w/2GB DDR each- minimum 2 module per processor),LCD: 15" UXGA (1600x1200),VGA: XVR-100 standard dual head and panoramic capable Options: XVR-500, XVR-600, XVR1200, or Quad Head graphics options), Network: 2 x Gig-Ethernet RJ-45 (10/100/1000),Serial: 1 x D-sub 9-pin,Audio: line-in & line-out, USB: 2 x USB1.1 (type A) and 2 x USB2.0 (type A, SCSI: 1 x Ultra160 connector) Ultra160 80MB/Second SCSI bootable, PCI: 1 x 64-bit/66MHz slot for graphics or PCI 64/66MHz bridge expansion chassis card, Quick-time Removable single or dual HDD bays: 2 x HDD bay (removable) and ODD bay: DVD (or combo, or DVD-RW), Smart card reader. Rugged Aluminum alloy chassis with Mil-Anodized abrasion resistant paint. Rubber corner bumpers. Solaris 8 2/04 release or Solaris 9 4/04 release	\$29,163	1 Year
<b>FSIII-QT-S100GB</b>	Spare Single Quick-Time Removable 100GB/5400RPM Parallel ATA (PATA) HDD integrated with carrier kit for FlexTreme Vigor SPARCIID Series. 1 Year warranty and LCU service option.	\$529	1 Year

**FlexPCServer (Briefcase Dual Xeon with PCI Slots)**

Processor: Intel Xeon 2.4, 2.8, 3.06 GHz(single or dual). Memory: 4 x DIMM slot (up to 8GB max. w/2GB DDR each), LCD: 15" UXGA (1600x1200) with 2nd head SVGA connector. Graphics ATI M7 Mobility 32MB VRAM. Network: 2 x Gig-Ethernet RJ-45,Serial: 1 x D-sub 9-pin, USB: 4 x USB1.1 (type A). Internal PCI Slot options: PCI: 1 x 32-bit/33MHz full length and 1 x 64-bit/66MHz full length components must be low profile (.35" height) beyond half length. HDD: Quick-time Removable 2 x HDD bays 40/60/80/100GB,ODD: 1 x DVD, CDRWDVD, or DVD-RW). Durable Aluminum alloy chassis with Mil-Anodized abrasion resistant paint. Rubber corner bumpers for protection during field use and transport.

Operating Systems: Server: SuSe Enterprise Linux, RedHat Enterprise Linux , Microsoft Windows 2003 Server, Solaris 9 x86, Trusted Solaris 8 x86, Win-UX (VMWare) Concurrent Use Linux and Windows, dual boot environments. Workstation: Windows XP Pro, 2000 Pro, SuSe Desktop Linux, Fedora Core Linux, Sun Microsystems (JDS) java Desktop System, NextCom Win-Ux concurrent use environment, Solaris 9x86, Solaris 8 x86, and dual boot environments. Media and document kit optional except with Microsoft Windows. Some features not supported under Solaris and Linux

Advantages: • The only desktop replacement (slightly oversized) notebook package on the market that is dual processor

- The only desktop replacement (slightly oversized) notebook package on the market has PCI slots
- The only desktop replacement (slightly oversized) notebook package on the market that is a server architecture
- The only desktop replacement (slightly oversized) notebook package on the market that has dual Gigabit Ethernet
- The only desktop replacement (slightly oversized) notebook package on the market that expands beyond 4GB DRAM
- The only desktop replacement (slightly oversized) notebook package on the market that has dual Quick-time removable HDDs
- The only desktop replacement (slightly oversized) notebook package on the market that support server class operating systems including Windows 2003 and Enterprise Linux
- Use it as a sever, user it as a mobile engineering/graphics workstation, use it as a portable test and measurement system with open standards 3rd party PCI I-O

FlexPCS-S24-512-41-XP	512MB, Quick-Time Removable 40GB HDD, DVD, Win XP Pro	\$6,697	1 Year
FlexPCS-S24-512-42-XP	512MB, Dual Quick-Time Removable 40GB HDD, DVD, Win XP Pro	\$6,859	1 Year
FlexPCS-S24-1000-41-XP	1GB (2x512MB) Quick-Time Removable 40GB HDD	\$6,964	1 Year
FlexPCS-S24-1000-42-XP	1GB (2x512MB) Dual Quick-Time Removable 40GB HDD, DVD, Win XP Pro	\$7,126	1 Year
FlexPCS-S24-2000-41-XP	2GB (4x512MB) Quick-Time Removable 40GB HDD, DVD, Win XP Pro	\$7,498	1 Year
FlexPCS-S24-2000-42-XP	2GB (4x512MB) Dual Quick-Time Removable 40GB HDD, DVD, Win XP Pro	\$7,661	1 Year
FlexPCS-S24-4000-41-XP	4GB (4x1GB), Quick-Time Removable 40GB HDD, DVD, Win XP Pro	\$8,548	1 Year
FlexPCS-S24-4000-42-XP	4GB (4x1GB), Dual Quick-Time Removable 40GB HDD, DVD, Win XP	\$8,710	1 Year
FlexPCS-S24-8000-41-XP	8GB (4x2GB), Quick-Time Removable 40GB HDD, DVD, Win XP Pro	\$11,868	1 Year
FlexPCS-S24-8000-42-XP	8GB (4x2GB), Dual Quick-Time Removable 40GB HDD, DVD, Win XP	\$12,030	1 Year
FlexPCS-S24-512-61-XP	512MB, Quick-Time Removable 60GB HDD, DVD, Win XP Pro	\$6,897	1 Year
FlexPCS-S24-512-62-XP	512MB, Dual Quick-Time Removable 60GB HDD, DVD, Win XP Pro	\$7,222	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
FlexPCS-S24-1000-61-XP	1GB (2x512MB) Quick-Time Removable 60GB HDD, DVD, Win XP Pro	\$7,165	1 Year
FlexPCS-S24-1000-62-XP	1GB (2x512MB) Dual Quick-Time Removable 60GB HDD, DVD, Win XP Pro	\$7,489	1 Year
FlexPCS-S24-2000-61-XP	2GB (4x512MB) Quick-Time Removable 60GB HDD	\$7,699	1 Year
FlexPCS-S24-2000-62-XP	2GB (4x512MB) Dual Quick-Time Removable 60GB HDD, DVD, Win XP Pro	\$8,023	1 Year
FlexPCS-S24-4000-61-XP	4GB (4x1GB), Quick-Time Removable 60GB HDD, DVD, Win XP Pro	\$8,748	1 Year
FlexPCS-S24-4000-62-XP	4GB (4x1GB), Dual Quick-Time Removable 60GB HDD, DVD, Win XP	\$9,073	1 Year
FlexPCS-S24-8000-61-XP	8GB (4x2GB), Quick-Time Removable 60GB HDD, DVD, Win XP Pro	\$12,068	1 Year
FlexPCS-S24-8000-62-XP	8GB (4x2GB), Dual Quick-Time Removable 60GB HDD, DVD, Win XP	\$12,392	1 Year
FlexPCS-S24-512-81-XP	512MB, Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$6,983	1 Year
FlexPCS-S24-512-82-XP	512MB, Dual Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$7,336	1 Year
FlexPCS-S24-1000-81-XP	1GB (2x512MB) Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$7,622	1 Year
FlexPCS-S24-1000-82-XP	1GB (2x512MB) Dual Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$7,975	1 Year
FlexPCS-S24-2000-81-XP	2GB (4x512MB) Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$8,157	1 Year
FlexPCS-S24-2000-82-XP	2GB (4x512MB) Dual Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$8,510	1 Year
FlexPCS-S24-4000-81-XP	4GB (4x1GB), Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$8,834	1 Year
FlexPCS-S24-4000-82-XP	4GB (4x1GB), Dual Quick-Time Removable 80GB HDD, DVD, Win XP	\$9,187	1 Year
FlexPCS-S24-8000-81-XP	8GB (4x2GB), Quick-Time Removable 80GB HDD, DVD, Win XP Pro	\$12,154	1 Year
FlexPCS-S24-8000-82-XP	8GB (4x2GB), Dual Quick-Time Removable 80GB HDD, DVD, Win XP	\$12,507	1 Year
FlexPCS-S24-512-11-XP	512MB, Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$7,403	1 Year
FlexPCS-S24-512-12-XP	512MB, Dual Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$7,823	1 Year
FlexPCS-S24-1000-11-XP	1GB (2x512MB) Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$7,670	1 Year
FlexPCS-S24-1000-12-XP	1GB (2x512MB) Dual Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$8,090	1 Year
FlexPCS-S24-2000-11-XP	2GB (4x512MB) Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$8,472	1 Year
FlexPCS-S24-2000-12-XP	2GB (4x512MB) Dual Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$8,758	1 Year
FlexPCS-S24-4000-11-XP	4GB (4x1GB), Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$10,599	1 Year
FlexPCS-S24-4000-12-XP	4GB (4x1GB), Dual Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$10,885	1 Year
FlexPCS-S24-8000-11-XP	8GB (4x2GB), Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$12,574	1 Year
FlexPCS-S24-8000-12-XP	8GB (4x2GB), Dual Quick-Time Removable 100GB HDD, DVD, Win XP Pro	\$12,993	1 Year

**Processor Upgrades:**

FlexPCS-S281-xxxx-xx	Change P/N to FlexPCS-S281-xxxx-xx. Upgrade to Single Xeon 2.8GHz/1MB Cache	\$229	1 Year
FlexPCS-S311-xxxx-xx	Change P/N to FlexPCS-S311-xxxx-xx. Upgrade to Single Xeon 3.06GHz/1MB Cache	\$458	1 Year
FlexPCS-D24-xxxx-xx	Change P/N to FlexPCS-D24-xxxx-xx. Upgrade to Dual LV Xeon 2.4GHz	\$477	1 Year
FlexPCS-D281-xxxx-xx	Change P/N to FlexPCS-D281-xxxx-xx. Upgrade to Dual Xeon 2.8GHz/1MB Cache	\$706	1 Year
FlexPCS-D311-xxxx-xx	Change P/N to FlexPCS-D311-xxxx-xx. Upgrade to Dual Xeon 3.06GHz/1MB Cache	\$935	1 Year

**OS Workstation Options:**

FlexPCS-x-xxxx-xx-W2K	Change P/N to FlexPCS-x-xxxx-xx-W2K. Windows 2000 Professional	\$95	1 Year
FlexPCS-x-xxxx-xx-XP	Change P/N to FlexPCS-x-xxxx-xx-XP. Windows XP Professional	\$95	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
FlexPCS-x-xxxx-xx-RH91	Change P/N to FlexPCS-x-xxxx-xx-RH91. RedHat 9.1 Desktop	(\$95)	1 Year
FlexPCS-x-xxxx-xx-FD2	Change P/N to FlexPCS-x-xxxx-xx-FD2. Fedora 2.0 Core Desktop	(\$95)	1 Year
FlexPCS-x-xxxx-xx-FD3	Change P/N to FlexPCS-x-xxxx-xx-FD3. Fedora 3.0 Core Desktop	(\$95)	1 Year
FlexPCS-x-xxxx-xx-SU91	Change P/N to FlexPCS-x-xxxx-xx-SU91. SUSE 9.1 Pro	(\$95)	1 Year

**OS Server Options:**

FlexPCS-x-xxxx-xx-WS5	Change P/N to FlexPCS-x-xxxx-xx-WS5. Windows 2003 Server, Standard 5 CALs	\$266	1 Year
FlexPCS-x-xxxx-xx-WS10	Change P/N to FlexPCS-x-xxxx-xx-WS10. Windows 2003 Server, Standard 10 CALs	\$1,029	1 Year
FlexPCS-x-xxxx-xx-WSE25	Change P/N to FlexPCS-x-xxxx-xx-WSE25. Windows 2003 Server, Enterprise 25 CALs	\$3,701	1 Year
FPSCS-WS5CAL	Windows 2003 Server additional 5 Client pak	\$190	1 Year
FPSCS-WS20CAL	Windows 2003 Server additional 20 Client pak	\$762	1 Year
FlexPCS-x-xxxx-xx-REWBP	Change P/N to FlexPCS-x-xxxx-xx-REWBP. RedHat Enterprise Linux WS Basic Prov Mod	\$354	1 Year
FlexPCS-x-xxxx-xx-RESBP	Change P/N to FlexPCS-x-xxxx-xx-RESBP. RedHat Enterprise Linux ES Basic Prov Mod	\$516	1 Year
FlexPCS-x-xxxx-xx-RASBP	Change P/N to FlexPCS-x-xxxx-xx-RASBP. RedHat Enterprise Linux AS Basic Prov Mod	\$1,613	1 Year
FlexPCS-x-xxxx-xx-SU9	Change P/N to FlexPCS-x-xxxx-xx-SU9. SUSE Enterprise Server 9	\$333	1 Year
FlexPCS-x-xxxx-xx-SU8	Change P/N to FlexPCS-x-xxxx-xx-SU8. SUSE Enterprise Server 8	\$953	1 Year
FlexPCS-x-xxxx-xx-S9	Change P/N to FlexPCS-x-xxxx-xx-S9. Solaris 9x86 Single Xeon CPU	-	
FlexPCS-x-xxxx-xx-S9D	Change P/N to FlexPCS-x-xxxx-xx-S9D. Solaris 9x86 Single Xeon Dual CPU	\$285	1 Year

**Dual Boot OS and Concurrent Use Options:**

FlexPCS-x-xxxx-xx-D- xxxx-xxxx	Change P/N to FlexPCS-x-xxxx-xx-D- xxxx-xxxx. Dual Boot dual drive version (Add specific OS cost and designator -xxxx and -xxxx)	see description	
FlexPCS-xW-xxxx-xx-Hxxxx-Gxxxx	Change P/N to FlexPCS-xW-xxxx-xx-Hxxxx-Gxxxx. Winux Concurrent Use (VMWare 4.5):	\$425	1 Year

Host(H) OS support: Windows 2003 Server, Windows 2003 Server Enterprise, RH Enterprise AS, SuSe Enterprise Server 8, RH 9.1, SuSe9.1, Windows XP Pro, 2000 Pro. Guest (G) OS support: Windows 2003 Server, Windows 2003 Server Enterprise, RH 9.1, SuSe9.1, Windows XP Pro, 2000 Pro

**Additional Options or upgrades:**

FlexPCS-CDRWD	FlexPCS CDRW/DVD combo Upgrade from DVD	\$57	1 Year
FlexPCS-DVDRW	FlexPCS DVDRW Upgrade from DVD	\$191	1 Year
FlexPCS-NextBox64	Rack-mount 64Bit/66MHz expansion chassis 7 64 bit/66Mhz slots	\$3,811	1 Year
FlexPCS-NextBox32	Mobile 32Bit/33MHz expansion chassis 4 32 bit/33Mhz slots	\$2,719	1 Year
FlexPCS-FP	USB Floppy	\$114	1 Year
FlexPCS-40GBHDC1	40GB removable HDD and carrier -1st bay	\$191	1 Year
FlexPCS-60GBHDC1	60GB removable HDD and carrier -1st bay	\$277	1 Year
FlexPCS-80GBHDC1	80GB removable HDD and carrier -1st bay	\$353	1 Year
FlexPCS-100GBHDC1	100GB removable HDD and carrier -1st bay	\$401	1 Year
FlexPCS-40GBHDC2	40GB removable HDD and carrier -2nd bay	\$191	1 Year
FlexPCS-60GBHDC2	60GB removable HDD and carrier -2nd bay	\$277	1 Year
FlexPCS-80GBHDC2	80GB removable HDD and carrier -2nd bay	\$353	1 Year
FlexPCS-100GBHDC2	100GB removable HDD and carrier -2nd bay	\$401	1 Year
FlexPCS -256MB	256MB DDRAM module	\$124	1 Year
FlexPCS -512MB	512MB DDRAM module	\$258	1 Year
FlexPCS -1GB	1GB DDRAM module	\$525	1 Year
FlexPCS -2GB	2GB DDRAM module	\$1,393	1 Year

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**NextCom**

FlexPCS-HardCase	Rugged transit case custom	\$525	1 Year
FlexPCS-HardCaseR	Rugged transit case custom with telescoping handle and wheels	\$811	1 Year
FlexPC-USB/SKB	External Sun USB Keyboard	\$114	1 Year

**USB2.0 Options:**

FlexPC-USB24	PCI card 4xUSB2.0 Ports	\$76	1 Year
FlexPC-USB2-160GB	External portable USB2.0 160GB HDD kit	\$572	1 Year
FlexPC-USB2-250GB	External portable USB2.0 200GB HDD kit	\$811	1 Year
FlexPC-USB2-500GB	External USB2.0 500GB 7200RPM HDD 5.25" form factor kit (Windows XP and 2000 Only)	\$954	1 Year
FlexPC-USB2-1TB	External USB2.0 1Terrabyte 7200RPM HDD 5.25" form factor kit (Windows XP and 2000 Only)	\$1,903	1 Year

**PCI Hardware RAID 0/1 and additional storage:**

FlexPC-RAID01	PCI card RAID 0,1, and 0/1. Dual channel, 128MB cache. Requires dual QuickDisk HDD configuration. Requires use of a free PCI slot.	\$525	1 Year
FlexPC-P100G	Additional 100GB ATA100 HDD. Fixed, Requires use of a free PCI slot.	\$477	1 Year

**PCI I-O Options:**

FlexPC-USB24	PCI card 4xUSB2.0 Ports	\$76	1 Year
FlexPC-2U160S	PCI card Dual160MB/Sec Ultra Wide SCSI (64/66)	\$429	1 Year
FlexPC-4GbE	PCI card Quad Gigabit Ethernet (64/66)	\$1,426	1 Year
FlexPC-2FC	PCI card Dual Fibre Channel Copper and Fiber (64/66)	\$854	1 Year

**Other PCI Cards Per Customer request**

**Graphics Card Options:**

FlexPC-Radeon9200	ATI Radeon 9200 PCI, 256MB DDR/400MHz Graphics Accelerator, Dual Port output DVI-I, Microsoft DirectX 8.1 Optimized and OpenGL1.3 Optimized	\$143	1 Year
FlexPC-GFX500	nVIDIA FX 5200 PCI 256MB DDR Graphics Accelerator. Graphics Core: 256-bit <Pixels Per Clock (peak): 4,Textures per pixel (max per pass) 16,Effective Memory Clock: 333MHz, RAMDACs: Dual 350MHz. Microsoft DirectX 9.0 Optimized and OpenGL1.4 Optimized	\$143	1 Year
FlexPC-GFX600	nVIDIA Quadro FX600 PCI , 256MB DDR, 128-bit, Dual DVI/Quad-buffered Stereo, PCI, Model " Chipset: nVIDIA Quadro FX600, Memory: 256MB DDR, Ports: 2x Single-Link DVI-I + Quad-buffered Stereo, Support 3D API: DirectX 9.0, OpenGL 2.0, Cable/Accessories: 1 CD, 2 x DVI-I to VGA Adapter Max Resolution@32bit Color: 3840x2400 for 2nd external display head	\$716	1 Year

**Mobile NAS Storage**

FlexPC-S2200NAS	External portable 500GB 100 BaseT NAS Storage RAID 1, RAID 0 or JBOD	\$1,860	1 Year
-----------------	--	---------	--------

**NCM-700C Power SPARC Series**

(Dual bootable Ethernet, UltraWide bootable SCSI, 4x high speed USB2.0 ports, 2 Media bays-Dual HDD or single HDD & ODD: DVD, or DVDRW, expandable to 4GB memory, standard XVR100 graphics & optional 1600x1200 Display w/dual head option, can do standard Sun distribution media or JumpStart load)

NCM-700C series: (NCM-757C) 550MHZ Ili processor, or (NCM-767C)650MHZ Ili processor Sun XVR100 Graphics, 15.1" TFT w/:1400x1050 resolution with dual head graphics or 1600x1200 with Dual Head Graphics, Solaris 8, 9 or Trusted Solaris 8 standard distribution load. Base system: Dual Ethernet, Ultra Wide SCSI (40MB/Sec), 2D/3D graphics, 4xUSB2.0 High speed port module, Single HDD, 2nd HDD or DVD or CDRW/DVD or DVDRW, leather carry case, USB mouse, magnesium alloy case, passive cooling, hardware security ID, no media. Optional PCMCIA PCCARD Reader: (Optional cards); E- 3rd Ethernet (S8 only); W-Wi-Fi 802.11g (S8 & S9). Made in USA

NCM-757C-512-41	512MB, 40GB HDD	\$6,716	1 Year
NCM-757C-512-42	512MB, Dual 40GB HDD, no ODD	\$6,907	1 Year
NCM-757C-1000-41	1GB (2x512MB) 40GB HDD	\$7,178	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
NCM-757C-1000-42	1GB (2x512MB) Dual 40GB HDD, no ODD	\$7,369	1 Year
NCM-757C-2000-41	2GB (4x512MB) 40GB HDD	\$8,101	1 Year
NCM-757C-2000-42	2GB (4x512MB) Dual 40GB HDD, no ODD	\$8,292	1 Year
NCM-757C-4000-41	4GB (4x1GB), 40GB HDD	\$11,711	1 Year
NCM-757C-4000-42	4GB (4x1GB), Dual 40GB HDD, no ODD	\$11,902	1 Year
NCM-757C-512-61	512MB, 60GB HDD	\$6,812	1 Year
NCM-757C-512-62	512MB, Dual 60GB HDD, no ODD	\$7,098	1 Year
NCM-757C-1000-61	1GB (2x512MB) 60GB HDD	\$7,273	1 Year
NCM-757C-1000-62	1GB (2x512MB) Dual 60GB HDD, no ODD	\$7,559	1 Year
NCM-757C-2000-61	2GB (4x512MB) 60GB HDD	\$8,197	1 Year
NCM-757C-2000-62	2GB (4x512MB) Dual 60GB HDD, no ODD	\$8,483	1 Year
NCM-757C-4000-61	4GB (4x1GB), 60GB HDD	\$11,807	1 Year
NCM-757C-4000-62	4GB (4x1GB), Dual 60GB HDD, no ODD	\$12,093	1 Year
NCM-757C-512-81	512MB, 80GB HDD	\$6,869	1 Year
NCM-757C-512-82	512MB, Dual 80GB HDD, no ODD	\$7,212	1 Year
NCM-757C-1000-81	1GB (2x512MB) 80GB HDD	\$7,365	1 Year
NCM-757C-1000-82	1GB (2x512MB) Dual 80GB HDD, no ODD	\$7,708	1 Year
NCM-757C-2000-81	2GB (4x512MB) 80GB HDD	\$8,288	1 Year
NCM-757C-2000-82	2GB (4x512MB) Dual 80GB HDD, no ODD	\$8,632	1 Year
NCM-757C-4000-81	4GB (4x1GB), 80GB HDD	\$11,864	1 Year
NCM-757C-4000-82	4GB (4x1GB), Dual 80GB HDD, no ODD	\$12,207	1 Year
NCM-757C-512-11	512MB, 100GB HDD	\$7,002	1 Year
NCM-757C-512-12	512MB, Dual 100GB HDD, No ODD	\$7,479	1 Year
NCM-757C-1000-11	1GB (2x512MB) 100GB HDD	\$7,464	1 Year
NCM-757C-1000-12	1GB (2x512MB) Dual 100GB HDD, No ODD	\$7,941	1 Year
NCM-757C-2000-11	2GB (4x512MB) 100GB HDD	\$9,311	1 Year
NCM-757C-2000-12	2GB (4x512MB) Dual 100GB HDD, No ODD	\$9,788	1 Year
NCM-757C-4000-11	4GB (4x1GB), 100GB HDD	\$11,998	1 Year
NCM-757C-4000-12	4GB (4x1GB), Dual 100GB HDD, No ODD	\$12,475	1 Year
NCM-767Cx-xxxx-xx	Upgrade to 650MHZ. Change P/N to NCM-767Cx-xxxx-xx	\$735	1 Year
NCM-767Cx-xxxx-xx7	Upgrade to 7200RPM HDD (60GB only) Per drive cost adder to 40GB configuration. Change P/N to NCM-767Cx-xxxx-xx7	\$157	1 Year
NCM-7x7CxR-xxxx-xx	Upgrade to Quick-Time Removable HDDs. Change P/N to NCM-7x7CxR-xxxx-xx (2nd HDD reciever swappable w/DVD w/a tool)	\$95	1 Year
NCM-7x7CD-xxxx-xx	Upgrade to Dual Head & Hi-Res (1600x1200) Change P/N to NCM-7x7CD-xxxx-xx	\$525	1 Year

(\*) Systems configured with (2) internal HDDs. 2nd HDD or 2nd HDD carrier (R Model) is swappable with the internal CDR/DVD drive provided; requires tool provided with the system. CDR/DVD is shipped loose in this configuration. Customer also has option of purchasing a USB CDRW/DVD (non-bootable; See USB Unix peripherals section of price list) and SCSI CDR/DVDRW (bootable; See options below) If customer does not want the internal CDR/DVD, add -C to P/N and credit \$143 to price.

#### **NCM-700C Power SPARC Series Options**

##### **Solaris 9 Load:**

-S9	Solaris 9 System load	-	
NCM-SOL8T	Trusted Solaris 8 (7/03) Preinstall/License/Media Kit	\$2,857	1 Year
NCM-C/PCMCIA	PCMCIA PCCARD reader module for NCM-767C swappable with (4) port high speed USB2.0 module	\$477	1 Year
-MP	PCMCIA PCCARD reader module installed in NCM0767C in place of (4) ports high speed USB2.0 module.	\$239	1 Year

##### **PCMCIA Options:**

-E	10/100 Ethernet/driver Solaris 8 only	\$334	1 Year
-W	802.11g Wireless adapter/driver Solaris 8 and 9 (support 802.11b and g)	\$239	1 Year

##### **USB Additional Ethernet Options:**

-UE	USB2.0 Ethernet 10BaseT RJ45 Solaris 8 only	\$143	1 Year
-----	---	-------	--------

Part No.	Description	GSA Price	Warranty
----------	-------------	-----------	----------

**NextCom**

**Solaris 8/9 USB Printer Driver**

-UP	Supports all USB HP InkJet, DeskJet series and other printers as well as HP DeskJet parallel port printers with NCM-USBPR converter cable. Solaris 8/9 USB Printer Driver	\$334	1 Year
NCM-USBPR	USB to printer/parallel port DB25 Centronics connector	\$52	1 Year

**NCM-700C Options and Accessories:**

NCM-PA/KIT	The kit includes: Clearly labeled adapters for easy identification, Selection guide for quick and easy adapter identification, 5 Phone connectors, 4 Power adapters, 8' Retractable telephone cord, Power Europe, UK, Australia, Italy, Telephone Adapters for Germany, France, UK, US Doubler, and Italy	\$81	1 Year
NCM-CAR/ADAPTOR	Car DC adaptor kit. Front end kit to standard AC/DC adaptor	\$76	1 Year
NCM-ACDC-PS	PowerSPARC and NextBlade external AD/DC Adaptor and power chord	\$124	1 Year
NCM-UPSBAT-US	UPS-Battery pack	\$334	1 Year
NCM-USBFP	USB Floppy	\$114	1 Year
NCM-DVD	CD-ROM/DVD	\$162	1 Year
NCM-CDRDVD	Combo-Drive (CD-RW/DVD-ROM-Replaces standard CD-ROM drive)	\$343	1 Year
NCM-UDVDRW	Upgrade to Combo-Drive (DVD-RW -R 4.7GB/CDRW/DVD-ROM)	\$239	1 Year
NCM-40GBHD1	40GB removable HDD/carrier-1st bay	\$239	1 Year
NCM-60GBHD1	60GB removable HDD/ carrier-1st bay	\$334	1 Year
NCM-80GBHD1	80GB removable HDD/ carrier -1st bay	\$391	1 Year
NCM-40GBHD2	40GB removable HDD/magnesium casing-2nd bay	\$239	1 Year
NCM-60GBHD2	60GB removable HDD/magnesium casing-2nd bay	\$334	1 Year
NCM-80GBHD2	80GB removable HDD/magnesium casing-2nd bay	\$391	1 Year
NCM-512MB-DE1	512MB DIMM module 1st slot	\$501	1 Year
NCM-512MB-DE2	512MB DIMM module 2nd slot	\$501	1 Year
NCM-512MB-DE3	512MB DIMM module 3rd slot	\$501	1 Year
NCM-512MB-DE4	512MB DIMM module 4th slot	\$501	1 Year
NCM-1GB-DE1	1GB DIMM module 1st slot	\$1,455	1 Year
NCM-1GB-DE2	1GB DIMM module 2nd slot	\$1,455	1 Year
NCM-1GB-DE3	1GB DIMM module 3rd slot	\$1,455	1 Year
NCM-1GB-DE4	1GB DIMM module 4th slot	\$1,455	1 Year
NCM-7x7x-xxxx-xx-G1	Upgrade memory to 1GB modules from 512MB modules. Adder cost per 1GB increments is: Add 1GB module price x n and deduct 512MB x2n. Change to: P/N to NCM-7x7x-xxxx-xx-G1	see description	
NCM-SOL8-KIT	Solaris 8 2/04 media kit	\$143	1 Year
NCM-SOL9-KIT	Solaris 9 4/04 media kit	\$143	1 Year
NCM-HardCase767	Rugged transit case (custom versions can be quoted)	\$429	1 Year
NCM-USB2-160GB-KIT	External portable USB2.0 160GB HDD kit	\$420	1 Year
NCM-USB2-250GB	External portable USB2.0 200GB HDD kit	\$630	1 Year

**NCM-8000E/R Rugged FlexSPARC UltraSPARCIIe 500Mhz/650MHZ Ili Portable Server w/PCI Slots**

NCM-8000 Rugged Portable Server series :15.1" TFT, UltraSPARC IIe 500Mhz Processor/ 256KB cache; or 650MHZ II processor/512MB,1GB,2G, or 4GB SDRAM Memory. Rugged Aluminum chassis and rubber protected corners,Hard Anodized surface MIL-A-8625E Type II/III Shock mounted drive bay,(3) PCI Slots (Optional GigE, Serial, SCSI) Optional Frame Grabber Cards,TGX64 PCI Graphics Card (Other Options available) 15.1" TFT Hi brightness 350 NIT display (1024x768), Optional 1280x0124 resolution,1.44MB Floppy Drive 100GB EIDE HDD, Optional 2nd 100GB removable HDD CD-RW Disk Drive, Dual 10/100MB RJ45 Ethernet, 2 serial on DB25P connector, 1 parallel DB25S connector Hingeable/Detachable keyboard/mouse touch Pad with Dual Buttons (Optional rubberized water resistant keyboard/trackball), Asynch: 460.8kbps; Synch: 384kbps, Soft carrying bag w/wheels & pull handle. Weight: 32 Lbs, Dimensions: 13.4"H x 17.2"W x9.3"D Solaris 8 or 9 Support

NCM-8000E/R-1000-31	1GB SDRAM with 100GB HDD	\$9,154	1 Year
NCM-8000E/R-2000-31	2GB SDRAM with 100GB HDD	\$10,012	1 Year
NCM-8000E/R-1000-32	1GB SDRAM with 200GB total HDDs	\$10,680	1 Year
NCM-8000E/R-2000-32	2GB SDRAM with 100GB total HDDs	\$11,252	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
NCM-8000E/R-4000-32	SDRAM with 100GB total HDDs	\$13,160	1 Year
NCM-8100E/R-1000-31	Dual Gigabit Ethernet, 1GB SDRAM with 100GB HDD	\$12,111	1 Year
NCM-8100E/R-2000-31	Dual Gigabit Ethernet, 2GB SDRAM with 100 GB total HDD	\$12,970	1 Year
NCM-8100E/R-1000-32	Dual Gigabit Ethernet, 1GB SDRAM with 200GB total HDDs	\$12,683	1 Year
NCM-8100E/R-2000-32	Dual Gigabit Ethernet, 2GB SDRAM with 200GB total HDDs	\$13,542	1 Year
NCM-8100E/R-4000-32	Dual Gigabit Ethernet, 2GB SDRAM with 200GB total HDDs	\$15,450	1 Year

**Options:**

NCM-8650x/x-xxxx-xx	650MHZ Upgrade with on-board SCSI and EIDE	\$906	1 Year
-H	1280x1024 High Resolution Option Add -H to P/N above	\$668	1 Year
-H2	1280x1024 High Resolution 17" LCD display Option Add -H2 to P/N above	\$1,145	1 Year
-U	Internal UPS (10-15 minutes backup) Add -U to P/N above	\$620	1 Year
-D	28V DC front end power Supply (takes DC input voltage) Add -D to P/N above	\$286	1 Year
-ET	External trackball. Add -ET to p/n above	\$286	1 Year
-W	CDRW combo drive Add -W to P/N above	\$143	1 Year
-DW	DVDR/W -R combo drive Add -DW to P/N above	\$334	1 Year
-S9	Add -S9 to P/N above for Solaris 9 load	-	
NCM-SOL8T	Trusted Solaris 8 (7/03) Preinstall/License/Media Kit	\$2,857	1 Year
NCM-SUNKeyKit	SunMicrosystems Unix Type 6 PS/2 Keyboard/Mouse (Additional to standard keyboard/glide pad)	\$114	1 Year
NCM-SOL8-KIT	Solaris 8 (2/04) media kit	\$143	1 Year
NCM-SOL9-KIT	Solaris 9 (4/04) media kit	\$143	1 Year
NCM-DualHead8K	Dual Head Graphics option (To external Monitor)	\$429	1 Year
NCM-Windows/CoPrXP	Windows XP Professional preinstalled, Co-Processor Board, mobile AMD Athlon XP 1600+ processor, 1GB memory, on-board high resolution AGP 8x equivalent 2D/3D graphics, additional 10/100 Ethernet port, USB 2.0 port, integrated with Solaris display or optional additional head display, <del>Soundblaster compatible line in/line out</del>	\$1,612	1 Year
NCM-HardCase8K	Rugged transit case custom NCM8000	\$620	1 Year
NCM-HardCase8KT	Rugged transit case custom NCM8000 with Telescoping Handle & wheels	\$811	1 Year

**NCM-8000E Commercial Grade FlexSPARC UltraSPARCIIe 500Mhz/650MHZ Ili Portable Server w/PCI Slots**

NCM-8000 Portable Server series :15.1"TFT, UltraSPARC IIe 500Mhz Processor/ 256KB cache. 512MB or 1GB EDO DRAM Memory, (3) PCI Slots (Optional GigE, Serial, SCSI) Optional Frame Grabber Cards, TGX64 PCI Graphics Card (Other Options available) 15.1" TFT Hi brightness 350 NIT display (1024x768), Optional 1280x1024 resolution 100GB EIDE HDD, Optional 2nd 100GB removable HDD  
 CDRW drive, Dual 10/100MB RJ45 Ethernet, 2 serial on DB25P connector, 1 parallel DB25S connector  
 Hingeable/Detachable keyboard/mouse touch Pad with Dual Buttons (Optional rubberized water resistant keyboard/trackball), Asynch: 460.8kbps; Synch: 384kbps, Soft carrying bag w/wheels & pull handle.  
 Weight: 22 Lbs Dimensions: 15.7"W x 13.2"H x 10.4"D 250 Watt power supply FCC Part 15 Class B, CE Mark Solaris 8 or 9 support

NCM-8000E-1000-31	1GB SDRAM with 100GB HDD	\$7,436	1 Year
NCM-8000E-2000-31	2GB SDRAM with 100GB HDD	\$8,295	1 Year
NCM-8000E-1000-32	1GB SDRAM with 200GB total HDDs	\$8,963	1 Year
NCM-8000E-2000-32	2GB SDRAM with 100GB total HDDs	\$9,535	1 Year
NCM-8100E-1000-31	Dual Gigabit Ethernet, 1GB SDRAM with 100GB HDD	\$10,394	1 Year
NCM-8100E-2000-31	Dual Gigabit Ethernet, 2GB SDRAM with 100 GB total HDD	\$11,252	1 Year
NCM-8100E-1000-32	Dual Gigabit Ethernet, 1GB SDRAM with 200GB total HDDs	\$10,966	1 Year
NCM-8100E-2000-32	Dual Gigabit Ethernet, 2GB SDRAM with 200GB total HDDs	\$11,825	1 Year
NCM-8650x/x-xxxx-xx	650MHZ Upgrade with on-board SCSI and EIDE	\$906	1 Year
-H	1280x1024 High Resolution Option Add -H to P/N above	\$668	1 Year
-H2	1280x1024 High Resolution 17" LCD display Option Add -H2 to P/N	\$1,145	1 Year
-U	Internal UPS (10-15 minutes backup) Add -U to P/N above	\$620	1 Year
-ET	External trackball. Add -ET to p/n above	\$286	1 Year
-W	CDRW combo drive Add -W to P/N above	\$143	1 Year
-DW	DVDR/W -R combo drive Add -DW to P/N above	\$334	1 Year
-S9	Add -S9 to P/N above for Solaris 9 load	-	
NCM-SOL8T	Trusted Solaris 8 (7/03) Preinstall/License/Media Kit	\$2,857	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
NCM-SUNKeyKit	SunMicrosystems Unix Type 6 PS/2 Keyboard/Mouse (Additional to standard keyboard/glide pad)	\$114	1 Year
NCM-SOL8-KIT	Solaris 8 media kit	\$143	1 Year
NCM-SOL9-KIT	Solaris 9 media kit	\$143	1 Year
NCM-DualHead8K	Dual Head Graphics option (To external Monitor)	\$429	1 Year
NCM-Windows/CoPrXP	Windows XP Professional preinstalled, Co-Processor Board, mobile AMD Athlon XP 1600+ processor, 1GB memory, on-board high resolution AGP 8x equivalent 2D/3D graphics, additional 10/100 Ethernet port, USB 2.0 port, integrated with Solaris display or optional additional head display,	\$1,612	1 Year
NCM-HardCase8K	Rugged transit case custom NCM8000	\$620	1 Year
NCM-HardCase8KT	Rugged transit case custom NCM8000 with Telescoping Handle & wheels	\$811	1 Year
NCM-PA/KIT	The kit includes: Clearly labeled adapters for easy identification, Selection guide for quick and easy adapter identification, 5 Phone connectors, 4 Power adapters, 8' Retractable telephone cord, Power Europe, UK, Australia, Italy. Telephone Adapters for Germany, France, UK, US	\$81	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			

**5 USB Mobile UNIX Peripherals**

USB Unix SunDisk (FlashDisk)-SunDisk: FlashDrive Solaris / and other major platform compatible, this storage device is about the size of a small magic-marker, allows users to copy or exchange any files between our SPARC-based laptops, Sun Workstations running Solaris 8 or 9, Linux, Windows 2000 or XP computers with USB 1.1 or 2.0 ports. Includes both Solaris 8 and 9 patch support media kit.

NCM-SD256	Sun Disk: USB2.0 Solaris compatible flash disk to hot plug this into our any Solaris 8 or Solaris 9 Sun workstation with USB support, any Linux computer with USB, any Windows 2000 or XP computer.	\$186	1 Year
NCM-SD512	Sun Disk: USB2.0 Solaris compatible Sun Disk flash disk 512MB	\$253	1 Year
NCM-SD1000	Sun Disk: USB2.0 Solaris compatible Sun Disk flash disk 1GB	\$429	1 Year
NCM-SD2000	Sun Disk: USB2.0 Solaris compatible Sun Disk flash disk 2Gb	\$835	1 Year
NCM-USBCDRWD	Solaris 8 supported USB portable CDRWriter/DVD	\$553	1 Year
NCM-USB/RFLASH	Solaris 8 supported USB portable multimedia removable Flash card read/writer. (4) media ports:Read and write to seven different popular digital media - CF-I, CF-II, Smart Media™, Memory Stick™, Micro Drive™, Multimedia Card™, Secure Digital Card™	\$382	1 Year

**FlexSPARCIII Series**

(Processor: Ultrallii 1.28GHz (single or dual) Memory: 8 x DIMM slot (up to 16GB max. w/2GB DDR each- minimum 2 module per processor),LCD: 15" UXGA (1600x1200),VGA: XVR-100 standard dual head and panoramic capable Options: XVR-500, XVR-600, XVR1200, or Quad Head graphics options), Network: 2 x Gig-Ethernet RJ-45 (10/100/1000),Serial: 1 x D-sub 9-pin,Audio: line-in & line-out, USB: 2 x USB1.1 (type A) and 2 x USB2.0 (type A, SCSI: 1 x Ultra160 connector) Ultra160 80MB/Second SCSI bootable, PCI: 1 x 64-bit/66MHz slot for graphics or PCI 64/66MHz bridge expansion chassis card, Quick-time Removable single or dual HDD bays: 2 x HDD bay (removable) and ODD bay: DVD (or combo, or DVD-RW), Smart card reader. Rugged Aluminum alloy chassis with Mil-Anodized abrasion resistant paint. Rubber corner bumpers. Solaris 8 2/04 release or Solaris 9 4/04 release

FlexSPARCIII-S-1000-41	1GB (2x512MB) Quick-Time Removable 40GB HDD	\$11,730	1 Year
FlexSPARCIII-S-1000-42	1GB (2x512MB) Dual Quick-Time Removable 40GB HDD, DVD	\$11,978	1 Year
FlexSPARCIII-S-2000-41	2GB (4x512MB) Quick-Time Removable 40GB HDD, DVD	\$12,303	1 Year
FlexSPARCIII-S-2000-42	2GB (4x512MB) Dual Quick-Time Removable 40GB HDD, DVD	\$12,551	1 Year
FlexSPARCIII-S-4000-41	4GB (4x1GB), Quick-Time Removable 40GB HDD, DVD	\$13,203	1 Year
FlexSPARCIII-S-4000-42	4GB (4x1GB), Dual Quick-Time Removable 40GB HDD, DVD	\$13,451	1 Year
FlexSPARCIII-S-8000-41	8GB (8x1GB), Quick-Time Removable 40GB HDD, DVD	\$15,535	1 Year
FlexSPARCIII-S-8000-42	8GB (8x1GB), Dual Quick-Time Removable 40GB HDD, DVD	\$15,783	1 Year
FlexSPARCIII-D-16000-41	16GB (8x2GB), Quick-Time Removable 40GB HDD, DVD	\$28,769	1 Year
FlexSPARCIII-D-16000-42	16GB (8x2GB), Dual Quick-Time Removable 40GB HDD, DVD	\$29,017	1 Year
FlexSPARCIII-S-1000-61	1GB (2x512MB) Quick-Time Removable 60GB HDD, DVD	\$11,921	1 Year
FlexSPARCIII-S-1000-62	1GB (2x512MB) Dual Quick-Time Removable 60GB HDD, DVD	\$12,350	1 Year
FlexSPARCIII-S-2000-61	2GB (4x512MB) Quick-Time Removable 60GB HDD	\$12,494	1 Year
FlexSPARCIII-S-2000-62	2GB (4x512MB) Dual Quick-Time Removable 60GB HDD, DVD	\$12,923	1 Year
FlexSPARCIII-S-4000-61	4GB (4x1GB), Quick-Time Removable 60GB HDD, DVD	\$13,394	1 Year
FlexSPARCIII-S-4000-62	4GB (4x1GB), Dual Quick-Time Removable 60GB HDD, DVD	\$13,823	1 Year
FlexSPARCIII-S-8000-61	8GB (8x1GB), Quick-Time Removable 60GB HDD, DVD	\$15,726	1 Year
FlexSPARCIII-S-8000-62	8GB (8x1GB), Dual Quick-Time Removable 60GB HDD, DVD	\$16,155	1 Year
FlexSPARCIII-D-16000-61	16GB (8x2GB), Quick-Time Removable 60GB HDD, DVD	\$28,960	1 Year
FlexSPARCIII-D-16000-62	16GB (8x2GB), Dual Quick-Time Removable 60GB HDD, DVD	\$29,389	1 Year
FlexSPARCIII-S-1000-81	1GB (2x512MB) Quick-Time Removable 80GB HDD, DVD	\$12,761	1 Year
FlexSPARCIII-S-1000-82	1GB (2x512MB) Dual Quick-Time Removable 80GB HDD,DVD	\$13,314	1 Year
FlexSPARCIII-S-2000-81	2GB (4x512MB) Quick-Time Removable 80GB HDD, DVD	\$13,333	1 Year
FlexSPARCIII-S-2000-82	2GB (4x512MB) Dual Quick-Time Removable 80GB HDD, DVD	\$13,886	1 Year
FlexSPARCIII-S-4000-81	4GB (4x1GB), Quick-Time Removable 80GB HDD, DVD	\$13,585	1 Year
FlexSPARCIII-S-4000-82	4GB (4x1GB), Dual Quick-Time Removable 80GB HDD, DVD	\$14,138	1 Year
FlexSPARCIII-S-8000-81	8GB (8x1GB), Quick-Time Removable 80GB HDD, DVD	\$15,917	1 Year
FlexSPARCIII-S-8000-82	8GB (8x1GB), Dual Quick-Time Removable 80GB HDD, DVD	\$16,470	1 Year
FlexSPARCIII-D-16000-81	16GB (8x2GB), Quick-Time Removable 80GB HDD, DVD	\$29,150	1 Year
FlexSPARCIII-D-16000-82	16GB (8x2GB), Dual Quick-Time Removable 80GB HDD, DVD	\$29,704	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
FlexSPARCIIIIP-x-xxxx-xx	Upgrade to XVR100 motherboard and (1) free 64 Bit/66 MHZ PCI slot. Change P/N to FlexSPARCIIIIP-x-xxxx-xx. Upgrades to XVR100 on the motherboard and (1) free 64 bit/66MHz ¾ length PCI slot	\$382	1 Year
Upgrade to Dual 1.28GHz	Change P/N to FlexSPARCIII-D-xxxx-xx. Requires 2 memory modules per processor. Note: Specify memory accordingly must be minimum total of 4 modules for dual processor based configurations.	\$2,442	1 Year
FlexSPARCIII-xxxx-S73	Upgrade to Dual SCSI 73GB HDDs. Change P/N from FlexSPARCIII-xxxx-82 to FlexSPARCIII-xxxx-S73 (Dual removable Ultra320 SCSI, 10RPM,8MB cache, 2.5" carrier/receiver/midplane) Adder cost	\$1,908	1 Year
FlexSPARCIII-X-T4-xxxx-xx	Upgrade to Quad Head Graphics. Change P/N from FlexSPARCIII-xxxx-xx to FlexSPARCIII-X-T4-xxxx-xx (XVR100 equivalent Quad Head Graphics/8MB VRAM per head) Adder cost	\$2,814	1 Year
Upgrade to XVR600 Graphics	Change P/N to FlexSPARCIII-XR6-xxxx-xx	\$1,426	1 Year
Upgrade to XVR500 Graphics	Change P/N to FlexSPARCIII-XR5-xxxx-xx	\$1,712	1 Year
FlexSPARCIII-XR12-xxxx-xx	Upgrade to XVR1200 3D Graphics. Change P/N to FlexSPARCIII-XR12-xxxx-xx Note: No SCSI HDDs and only either dual removable IDE HDDs or single removable IDE HDD and ODD drive. Also, no CAC card reader.	\$4,765	1 Year
FlexSPARCIII-NextBox64	64Bit/66MHz expansion chassis to a total of 7 64 bit/66Mhz slots. Requires FlexSAPRCIIIIP model.	\$4,293	1 Year
FlexSPARCIII-NextBox32	32Bit/33MHz expansion chassis to a total of 4 32 bit/33Mhz slots. Requires FlexSAPRCIIIIP model.	\$3,148	1 Year
NextBox-Windows/CoPrXP	Windows XP Professional preinstalled,Co-Processor Board, mobile AMD Athlon XP 1600+ processor, 1GB memory, on-board high resolution AGP 8x equivalent 2D/3D graphics, additional 10/100 Ethernet port,USB 2.0 port, integrated with Solaris display or optional additional head display, Soundblaster compatible line-in/line-out. Requires expansion NextBox.	\$1,612	1 Year

**Option Solaris 9 Load:**

-S9	Solaris 9 System load		1 Year
FSIII-SBAT	External single Polymer based Li-Ion battery and UPS. (AC input-20 volt output) Note: Not included in base P/N. Estimated UPS back up from between 45 minutes to 60 minutes depending configuration	\$1,193	1 Year
FSIII-ACDC20V	External AC/DC switching power supply module 250Watts with 20V DC output, power chord	\$429	1 Year
NCM-USBFP	USB Floppy	\$114	1 Year
FSIII-DVD	CD-ROM/DVD	\$162	1 Year
FSIII-CDRDVD	Combo-Drive (CD-RW/DVD-ROM)	\$343	1 Year
FSIII-DVDRW	Combo-Drive (DCD-RW/CDRW/DVD-ROM)	\$525	1 Year
FSIII-40GBHD1	40GB removable HDD -1st bay	\$296	1 Year
FSIII-60GBHD1	60GB removable HDD -1st bay	\$477	1 Year
FSIII-80GBHD1	80GB removable HDD -1st bay	\$601	1 Year
FSIII-40GBHDC2	40GB removable HDD -2nd bay	\$343	1 Year
FSIII-60GBHDC2	60GB removable HDD -2nd bay	\$525	1 Year
FSIII-80GBHDC2	80GB removable HDD -2nd bay	\$649	1 Year
FSIII -512MB	512MB DDRAM module	\$286	1 Year
FSIII -1GB	1GB DDRAM module	\$630	1 Year
FSIII -2GB	2GB DDRAM module	\$2,051	1 Year
FSIII -SOL8III-KIT	Solaris 8 02/04 UltraIII/III media kit	\$143	1 Year
FSIII -SOL9-KIT	Solaris 9 04/04 UltraIII/III media kit	\$143	1 Year
FSIII-HardCase	Rugged transit case custom	\$525	1 Year
FSIII-HardCaseR	Rugged transit case custom with telescoping handle and wheels	\$811	1 Year
NCM-SC-50P	VHDCI to HD50 Male SCSI Cable, 36 inches	\$110	1 Year
NCM-SC-DVDW	External portable SCSI DVD read/writer (bootable)	\$2,857	1 Year
NCM-SC-CDRW	External portable SCSI CDR/writer (bootable)	\$1,712	1 Year
NCM-SC-HD73	External portable UWSCSI 73GB HDD (bootable)	\$1,097	1 Year
NCM-SC-HD146	External portable UWSCSI 146GB HDD (bootable)	\$2,147	1 Year
NCM-USB2-160GB-KIT	External portable USB2.0 160GB HDD kit	\$420	1 Year

Part No.	Description	GSA Price	Warranty
<b>NextCom</b>			
NCM-USB2-250GB	External portable USB2.0 250GB HDD kit	\$630	1 Year
NCM-USB/SKB	External Sun USB Keyboard	\$114	1 Year
NCM-VP211B	External ViewSonic VP211B 21.3" Flat Panel Monitor, Black Color, and FlexSPARCIII interface cable	\$2,380	1 Year

Part No.	Description	GSA Price			SIN
		Qty 1-49	Qty 50-74	Qty 75+	
<b>LiveTime Service Desk</b>					
LTHD1U-PSM	Annual LiveTime Platinum Support & Maintenance (24x7) (per Technician)	\$359	na	na	132-34
LTHD1U	LiveTime Help Desk (per Technician)	\$1,434	\$1,238	\$1,155	133-33
LTHA1N	LiveTime High Availability (per node)	\$13,035	\$11,250	\$10,500	133-33
LTHA1N-SSM	Annual LiveTime Standard Support & Maintenance (12x6) (per node)	\$2,154	na	na	132-34
LTHA1N-PSM	Annual LiveTime Platinum Support & Maintenance (24x7) (per node)	\$3,589	na	na	132-34
LTSM1U	Live Time Service Manager (Base Licenses)	\$1,434	\$1,238	\$1,155	133-34
LTSM1I	Live Time Service Manager (Incident Role)	\$435	\$375	\$350	133-34
LTSM1R	LiveTime Service Manager (Request Fulfillment)	\$348	\$300	\$280	133-34
LTSM1P	Live Time Service Manager (Problem Role)	\$435	\$375	\$350	133-34
LTSM1C	Live Time Service Manager (Change Role)	\$652	\$563	\$525	133-34
<b>LiveTime Service Appliance NEW MODELS</b>					
LTAP1U-200	1 AMD Model 2435 6 core, (2) 146GB Disks/SAS/10000 RPM 8GB/Dual Power	\$6,807	na	na	132-8
LTAP1U-400	2 AMD Model 2435, 6 Core CPU, (4) 146GB Disks/SAS/10000 RPM 8GB/Dual Power	\$9,134	na	na	132-8
LTAP1U-600	1 Intel Xeon 5520 Quad Core CPU, (2) 146GB Disks/SAS/10000 RPM 4GB/Dual Power	\$6,696	na	na	132-8
LTAP1U-800	2 Intel Xeon 5520 Quad Core CPU, (4) 146GB Disks/SAS/10000 RPM 8GB/Dual Power	\$7,807	na	na	132-8